
Index

- $T(\cdot)$, 113
 \vee , 26
 \wedge , 26
 \neg , 26
 \rightarrow , 26
 H_n , 65, 120
 $O(\cdot)$, 119
 $R(\cdot, \cdot)$, Ramsey number, 157
 $[n]$, 188, 206
 Δ , 167, 172
 \mathbb{N} , *see* natural numbers, 91
 $\Omega(\cdot)$, 119
 Ω , sample space, 216
 \mathbb{Q} , *see* rational numbers
 \mathbb{R} , *see* real numbers
 Σ , 3, 113
 $\Theta(\cdot)$, 119
 \mathbb{Z} , *see* integers
 $\lceil \cdot \rceil$, 95
 χ , chromatic number, 167, 172
 $\binom{n}{k_1, k_2, \dots, k_r}$, multinomial, 197
 $\binom{n}{k}$, binomial coefficient, 182
 formula, 187
 parity, 194
 recursion, 182
 \mathcal{A}_{ODD} , 104–105
 \emptyset , *see* empty set
 \exists , 32
 \forall , 31
 $\gamma \approx 0.577$, 120
 $\gcd(\cdot, \cdot)$, 130–132
 $\text{lcm}(\cdot, \cdot)$, 141
 $\omega(\cdot)$, 119
 \mathcal{P} , *see* power set
 \prod , 3
 $\text{rem}(\cdot, \cdot)$, 129
 $\{\cdot\}$ (rounding operation), 84
 Δ , deviation, 310
 $\sqrt{2}$, 21
 $e \approx 2.71828$, 69
 $e^{i\theta}$, 127
 $o(\cdot)$, 119
1-to-1, 184, 327
2-COLORING, 428
2-CONTACT EBOLA, 11
2-SAT, 427
3-SAT, 422, 426, 429
 derandomize, 308
 exact version, 429
 probabilistic method, 308
3-sigma rule, 315
 $3n + 1$ problem, *see* Collatz problem
- A Mathematician's Apology*, 129
ABC News, Primetime Live, 161
Abel, 126
absolute deviation, 320
acyclic, 159
addition rule, 114
adjacency list/matrix, 146, 154, 156
Adleman, Leonard, 137
- Akra-Bazzi formula, 96
algebraic number, 337
algorithm analysis/runtime, 113
Alice in Wonderland, 145
aliens, 244
AM-GM inequality, 82, 83
AM-HM inequality, 175
anagrams, 197, 206
AND/ \wedge , 26
Anna Karenina, 101
Anna Karenina principle, 387
Antoine de Saint-Exupery, viii
approximation algorithm
 BIN-PACKING, 428
 KNAPSACK, 428
Archimedes, 129
area under curve, integral, 119
Aristotle, 211
arithmetic expression, 104
arithmetic mean, 82
arithmetic series, 59
ASCII code, 17
Ask Marilyn, 213
assignment
 animals to habitats, 177
 exam slots, 177
 radio frequencies, 11, 177
asymptotic analysis, 113–129
 linear, 117
augmenting path, 170
AUTO-GRADE, 387, 394
automaton, *see* DFA
 nondeterministic, 354
average, 67, 277
 n-dice, 309
 reciprocals, 312
 reduces variance, 320
axiom, well-ordering principle, 20
- B_∞ , 332
Backus, Peter, 244
balanced parentheses, 101
BALANCED-BIPARTITE-CLIQUE, 427
Ballot Theorem, 239
balls and bins, 324
balls and weighings, 53
Banach's matchbox, 276, 303
barber paradox, 335
Barksdale, Jim, 225
Barton, Bernard, 281
barycentric coordinate, 160
base case, induction, 57
base case, recursion, 86
Basel problem, 127
Batman™, 200
Bayes' Theorem, 233, 272
Beck, 258
Bell, E. T., 41
bell-curve, 318
Bernoulli
 diffusion model, 304
 maximizes variance, 322
 number of heads, 265
 random variable, 265
 random walk, 265
 sum, 265, 267
Bernoulli numbers, 58, 70
Bernoulli's inequality, 64
Bernoulli, Jakob, 58
Bertrand's Postulate, 144
betting, horse racing, 288
Bezout coefficients, 140
Bezout's identity, 130, 135, 140, 141
bias, in sampling, 230
big-oh, omega, theta, 117–119
Biggs, N., viii, 145
bijection, 184–186, 188, 209, 327, 335
 and shortest paths, 194
 counting goody-bags, 185
 counting menus, 185
 definition, 184
binary strings
 counting, 207
 finite, 335
 infinite, 334
 programs, 334
binomial, 187
 coefficient, 66, 84, 182, 187, 267
 central, 67
 generalized, 193
 identities, 192
 Pascal's identity, 98
 sum of squares, 194
 sums, 192
Binomial distribution, 241, 267
 expected value, 294
 maximum probability, 274
 numerically computing, 274
 random walk, 273
Binomial Theorem, 66, 67, 70, 127, 138,
 143, 187, 208
 proof by induction, 192
BIN-PACKING, 428
 $\frac{3}{2}$ -approximation, 428
 2-approximation, 428
 inapproximability, 428
bins with capacities, 209
BIPARTITE, 427
bipartite graph, 161–166
 adjacency matrix, 170
 chromatic number, 168
 complete, 164, 171
 König-Egerváry Theorem, 176
 no odd-cycle, 170
bipartite matching, 162
 Hall's condition, 163–164
birthday paradox, 246–248, 255
birthday puzzle, 171
BITWISE-OR, 271
Bletchly Park, 136
Bombieri, Enrico, 25
Boole's inequality, 218
Boolean games, 430
BOUNDED- k , 426

- Bouton, Charles, 82
 breadth first search (BFS), 158
 breathalyzer, 237
 Breathnach, Sarah, 243
 Brouwer Fixed Point Theorem, 160
 build-up counting, 182–184, 186
 $\binom{n}{k}$ recursion, 182
 binary sequences, k ones, 182
 goddy-bags, 183
 induction, 183
 sequences with constraints, 183
 build-up expectation, 297
 build-up probability, 241
 Busy Beaver, non-computable, 402
 butane, 92
- Caldwell, Sarah, 293
 Cantor diagonalization, 332
 Cantor set, 338
 Cantor's Theorem, 337
 Cantor's transfinite realm, 334
 Cantor, Georg, 7, 327, 337
 Cantor-Bernstein Theorem, 328
 capture-recapture, 276
 cardinality, 327
 irrational numbers, 337
 power set, 337
 square, \mathbb{R}^2 , 337
- Carroll, Lewis, 145
 Cartesian product, 23
 Catalan number, 112, 195
 Catalan recursion, 98
 Cauchy, Augustin-Louis, 82
 Cauchy-Schwarz Inequality, 321
 Cayley's formula, 196
 Cayley, Arthur, 92
 CDF, 264–265
 Binomial, 270
 from PDF, 270
 uniform, 270
 waiting time, 270
 ceiling function, 95
 Central Limit Theorem, 318
 certificate/certifier, 414
 CFG, 365–377
 L_{bal} , 367
 CFG_{bal} , 366
 arithmetic, 370
 complement, 373
 concatenation, 368
 context sensitive, 376
 derivation, 366
 leftmost, rightmost, 375
 English, 366
 Ginsburg-Rice Theorem, 375
 implement DFA, 368
 intersect with regular, 375
 intersection, 373
 Kleene star, 368
 markup language, 370
 parse tree, 369
 production rule, 365
 programming, 366
 prove grammar works, 367
 pumping, 373, 375
 recursion, 365
 right-linear, 375
 terminal, 365
 unary, 375
 union, 368
 variable, 365
- CFL, *see* CFG
 Chavez, Cesar, 3
 Chebyshev, 144
 Chebyshev Inequality, 316
 checkers, 429
 chess, 429
 chessboard, 156, 159
- Chevalier de Méré, 211
 Chinese postman, 156
 Chinese Remainder Theorem, 142
 Chomsky, Noam, 365, 370
 Normal Form, 369, 374, 375
 “choose”, $\binom{n}{k}$, 182
 chromatic number, 167, 172
 bipartite graph, 168
 Chua, Amy, 339
 Church-Turing Thesis, 384, 403
 extended, 407
 Churchill, Winston, vii, 365, 387
 circuits, 418
 CLIQUE, 420
 AND, 420
 SORTER, 420
 and Turing Machines, 419, 426
 sorter, 425
 CIRCUIT-SAT, 418
 clinical trial, 273
 clique, 8, 173
 CLIQUE, 409, 411, 415, 416, 425
 CLIQUE-VERIFY, 412
 closure, 40, 54
 Coeliac, 238
 cognitive revolution, 349
 Cohen, Paul, 334
 coin
 biased, 269
 fair, 211
 fair from biased, 232, 240
 two-headed, 232, 237
 coincidence, 246
 Collatz problem, 14, 94
 COLOR-VERIFY, 412
 coloring, 161–168, 179, 348
 5-color theorem, 173
 and conflicts, 167
 and assignment, 166
 and independent set, 174
 and scheduling, 166
 chromatic number, 167
 Four-color theorem, 158
 greedy, 167, 172
 planar graph, 168
 polyhedron faces, 177
 tree, 168, 172
 weak 2-coloring, 174
 with oracle, 173
 COLORING, 415, 416, 425
 combinations, 186, 187
 combinatorial proofs, 193
 common sums, 114
 community integration, 178
 comparison scale, 13, 53, 67
 complement graph, 155
 complete graph, 147
 bipartite, 147, 164, 171
 complex numbers, 127
 complexity, computing problem, 343
 component, 155
 COMPOSITE-VERIFY, 412
 compositions, 194
 compressible, 402
 compression tree, 92
 computable function, 400, 402
 computable number, 402
 computation trace, 350
 computing prob., *see* decision prob.
 unsolvable, 385
 computing, definition, 339–349
 Conan Doyle, Arthur, 85, 225
 concatenation, 341, 346
 Kleene star, 343
 language, 342
 positive, 347
 conditional expectation, 281–283
 derandomize, 308
- linearity, 306
 total expectation, 284
 conditional PDF, 272
 conditional probability, 225–243
 definition, 225
 inclusion-exclusion, 235
 Monty Hall game, 227
 pair of boys, 228
 prosecutor's fallacy, 238
 Simpson's paradox, 239
 transposed conditional, 230
 traps, 229
 conditional variance, 323
 conflict resolution, 167
 CONFUSED, 387
 conjunction, 26
 connected, 67, 155, 158
 strongly, 152
 connected components, 169
 coNP, 425
 constant rule, 114
 contention resolution, 257
 context free language, *see* CFG
 context sensitive grammar, 376
 continued fraction, 24, 97, 98
 continuum hypothesis, 334
 continuum, c , 332, 333
 and \mathbb{R}^2 , 337
 and irrational numbers, 337
 uncountable, 333
 contraction (edge), 257
 contradiction, principle of, 47
 contrapositive, 45
 convex hull, 160
 Cook, Steve, 418
 Cook-Levin Theorem, 418
 countable, 327–332
 algebraic numbers, 337
 Cartesian product, 336
 finite binary strings, 331
 finite set, 328
 integers, 329
 listing, 329–330
 non-negative integers, 328
 positive even numbers, 329
 rationals, 331
 recursive set, 338
 union, 330, 336
 counter, 394
 counterexample, 44, 63
 counting, 179–211
 and bank security, 190
 balls in bins, 209
 bijection, 184–186, 194–196
 bijections, 188
 binary sequences, 179
 build-up, 182
 bulk pack, 179
 cases, 180
 chessboard squares, 192
 combinations, 187
 combinatorial proofs, 193
 committees, 181
 compositions, 194
 digit-sum, 210
 genotypes and phenotypes, 190
 goddy-bags, 179, 197
 graphs, 190, 210
 inclusion-exclusion, 199
 indistinguishable castles, 186
 injections, 188
 integer solutions, 185, 202, 210
 labeled trees, 196
 license plates, 180, 188
 matched parentheses, 195
 menus, 180
 min-cuts, 258
 monotonic sequences, 191, 194

- multiples, 208
 - multiplicity rule, 186
 - non-attacking castles, 191
 - non-empty partitions, 191
 - onto functions, 202
 - outcomes, 181
 - parking functions, 196
 - passwords, 181
 - paths, 191, 208
 - paths above diagonal, 191, 195
 - perfect matchings, 196
 - permutations, 187
 - poker hands, 187, 190
 - product rule, 180
 - queen-king positions, 186
 - race outcomes, 181
 - rectangles, 194
 - rooted binary trees, 195
 - rooted forests, 196
 - safe-key distribution, 192
 - seating arrangements, 194
 - sequences, 179–182, 197
 - social security numbers, 189
 - subsets, 181, 185
 - sum rule, 179, 188
 - surjections, 188
 - ternary strings, 188
 - Towers of Hanoi, 192
 - walks, 195
 - with repetition, 197
 - within case, 180
- coupon collecting, 295
- covariance, 306
- craps, casino game, 233
- Crusie, Jennifer, 365
- cryptography, 133–138
 - private key, 133, 138
 - public key, 136, 138
- cumulative dist. function, *see* CDF
- cut, maximum, 175
- cut-vertex, 157
- cycle, 146, 147
 - Euler, 156
- cyclic shift, 52

- D’Alembert, 221
- d-PDA, det. PDA, 356, 371, 377
- Dahl, Roald, vii
- Dalio, Ray, 431
- darts, 235
- dating, 164, 165, 171, 275
 - proposer wins, 166, 172
- decidable, 384
 - $\mathcal{L}_{\text{ALL-DFA}}$, 398
 - \mathcal{L}_{CFG} , $\mathcal{L}_{\text{CFG-00}}$, 398
 - \mathcal{L}_{DFA} , $\mathcal{L}_{\text{DFA-00}}$, 397
 - $\mathcal{L}_{\text{EMPTY-CFG}}$, 398
 - $\mathcal{L}_{\text{EMPTY-DFA}}$, 397
 - $\mathcal{L}_{\text{EQ-DFA}}$, 398
 - $\mathcal{L}_{\text{FINITE-CFG}}$, 398
 - $\mathcal{L}_{\text{FINITE-DFA}}$, 398
 - CFL, 396
 - closure, 400
 - regular language, 396
 - union, 388
- decision problem, 339–349
 - GRAPH-DISTANCE- D , 341
 - (YES)-set, 341
 - and calculation, 348
 - and optimization, 340
 - and search, 348
 - coloring, 348
 - complexity, 343
 - independent set, 348
 - language, 341
 - multiple of 4, 346
 - sorted, 346
- decision tree, 92
- decision versus search, 429
- decoding, noisy channel, 273
- Dedekind, Richard, 337
- defective dollar bill, 188
- definitions, 46
- degree, 145
 - joint distribution, 276
 - weighted, 151, 156
- degree distribution, 146
- degree histogram, 147
- degree sequence, 146, 154, 155
- derandomize
 - 3-SAT, 308
 - conditional expectation, 307
 - independent set, 308
 - max-cut, 307
- derangement, 208, 299
 - build-up counting, 201
 - formula, 202
- det. finite automaton, *see* DFA
- determinant, 98, 109
- deviation from mean, 309, 310
- Dewey Defeats Truman, 230
- DFA, 345, 349–365
 - addition, 359
 - algebraic trace, 350
 - closed, regular operations, 355
 - closure, 363
 - complement, 352
 - concatenation, 353
 - convert to reg. expression, 360
 - count, 360
 - design, 350
 - equality, 360
 - external memory, 356
 - instruction set, 349
 - intersection, 352
 - isomorphism, 360
 - Kleene star, 353
 - language, 350
 - nondeterministic, 354, 362
 - probabilistic, 360
 - pumping lemma, 364
 - regular expression, 355
 - regular language, 351
 - reversal, 362, 363
 - state
 - (YES) OR (NO), 349
 - accept or reject, 349
 - state-diagram, 349
 - transducer, 359, 360
 - two-tape, 360
 - union, 352
 - vending machine, 351
- diagonalization, 332
- dice
 - 7-sided from 5-sided, 240
 - non-transitive, 215
 - PDF of sum, 261
- Die Hard, 131
- differencing operator, 110
- differentiation method, 126
- diffusion, Bernoulli model, 304
- Dijkstra, Edsger, vii, 339
- Dilworth’s Theorem, 153, 159
- Dirac’s Theorem, 174
- direct proof, 41
- directed graph, 152, 159
 - and flow, 152
 - degree sum, 152
 - in-degree, 152
 - out-degree, 152
 - partial order, 152
- DIRECTED-HAM-PATH, 425
- discrete objects, 15–25
- disjoint paths, 178
- disjunction, 26
- disprove implication, 44
- distinct representatives problem, 171
- division, 129
- dodecahedron, planar drawing, 174
- dominating set, 169, 173
 - maximum degree Δ , 174
 - positive degree graph, 174
 - viral marketing, 174
- domino, 156
- DOM-SET, 425, 428
- double induction, 80
- Dr. Seuss, 71
- Drake equation, 244
- draughts, 429

- [EASY], 169
- EBOLA, 7
- Eccles, Peter J., 55
- edge, 145
 - contraction, 257
 - crossing, 158
 - subdivide, 158
- edge-probability, 212, 213, 233
- Edison, Thomas Alva, 179
- efficiency, 403–413
- Ehrlich, Paul, 85
- Einstein, Albert, 15, 85
- empty set, 15, 16
- encoding, 384
- encryption, 133
- Enigma machine, 136, 325
- enumerator, 396
- epidemics, 2-contact model, 7, 8
- equivalence, 45
- Erasothenes, 141
- Erdős, Paul, 22, 129, 144, 157, 258
- estimate, 123
- ethane, 92
- Euclid’s algorithm, 130, 134, 139
 - extended, 140
- Euclid’s Lemma, 83, 133
- Euler, 127, 150, 164
- Euler cycle, 156, 169
- Euler path, 156
- Euler’s Invariant, 150, 158
- Euler’s totient function φ , 143, 202
- Euler-Mascheroni constant, 120
 - irrational, 144
- EULER-PATH, 409
- event, 217, 221
 - combining, 217
 - independent, 243–259
 - probability, 213–215
- event-probability, 214, 217, 260
- evidence, 414
- exact 3-SAT, 429
- exchange paradox, 292
- excluded middle, 21, 25
- EXCLUSIVE-OR, 223
- $E[\cdot]$, expected value, 278
- expectation, *see* expected value
- expected value, 277–286, 289
 - absolute deviation, 320
 - Bernoulli, 279
 - Binomial, 280, 294
 - build-up, 297
 - conditional, 281, 306
 - derangements, 299
 - exponential, 280
 - exponentiation, 306
 - from CDF, 289
 - from sample space, 278
 - height, 281
 - iterated, 295
 - joint-PDF, 290
 - linearity, 293
 - infinite sum, 307
 - product, 297–298
 - record breaking, 300

- sum, 293
- sum of dice, 278
- sum of indicators, 299
- total expectation, 284
- two coin tosses, 278
- uniform, 279
- vs. typical value, 287
- waiting time, 280, 285, 294
- experiment, 211, 212, 221
- exponential, 3
- exponential time
 - 2-player games, 429
- expression tree, 92
- extended Euclid Algorithm, 140
- face, planar graph, 150
- face, polygonal, 158
- face, polyhedron, 150
- facility location, 169
- FACTOR, 425
- factorial power, 193
- factorial, integration bound, 120, 121
- factoring, 429
 - unary, 411
- failure probability, 255
- fast algorithm, polynomial, 405, 406
- Fermat's Little Theorem, 67, 136, 138, 143
 - counting proof, 196
 - Euler's Extension, 143
- Fermat, last theorem, 53
- Fermat, Pierre de, 211
- Fermi method, 244
- Fibonacci sequence, 89, 95, 109, 123, 127, 139
 - ancestry tree, 108
 - bounds, 90
 - build-up counting, 183
 - consecutive products, 95
 - gcd, 95
 - generating function, 111
 - Sanskrit poetry, 89
 - sums, 95
- Fibonacci tiling, 100
- file compression, lossless, 209
- FIND-MINIMUM, 409
- finite automaton, *see also* DFA
- finite binary strings, countable, 331
- finite state machine, *see* DFA
- fishy, 21, 47–48
- 5-color theorem, 173
- fixed point theorem, Brouwer, 160
- flow, 152
- Floyd, Robert, 104
- FOCS-twin, 246, 255
- Ford-Fulkerson algorithm, 178
- forest, 109
- Forster, E. M., 71
- Four-Color Theorem, 150
- Four-color theorem, 158
- free movie ticket problem, 255
- FREQ-ITEMS, 424
- frequency, 212, 226
- frequent items, 413
- friends paradox, 155
- friendship network, 8
- Frost, Robert, 387
- full vertex, 108
- Fundamental Theorem of Arithmetic, 75, 83, 132–133
- Gale-Shapely, 172
- Gale-Shapely Theorem, 165
- Gallup poll, 230, 322
- Gallup, George, 229
- Galton's paradox, 221, 234
- gambler's ruin, 250–252
 - expected time, 290
- game theory, 292
- game tree, 92
- game, guess high or low, 266
- game, matching, 266
- Garey, 424, 427
- Gauss, 58, 143
- Gauss, Carl F., 134
- GCD, 130–132, 139, 141
 - Bezout's identity, 130
 - Euclid's algorithm, 130
 - positive linear comb., 130
 - proofs, 130
 - relatively prime, 130, 132
- gcd(\cdot, \cdot), *see also* GCD
- generating function
 - digit-sum, 210
 - gambler's ruin, 256
 - integer solutions, 210
 - solving recurrence, 110, 111
- genetics, 190, 239, 292
- geometric distribution, 268
- geometric mean, 82
- geometric sum, 56, 59
 - from differentiation, 126
 - integration bound, 121
- gift exchange, 222
- Ginsburg, Ruth Bader, 243
- Ginsburg-Rice Theorem, 375
- go, board game, 429
- Gödel, Kurt, 327, 334, 390
- Goldbach conjecture, 144
- Goldberg, Mark K., viii
- golden ratio, φ , 90, 100
- Goldwasser, Shafi, 197
- Google™, viii
- gossip, 223, 237
- graceful labeling, 159
- graceful tree conjecture, 159
- Graham, Ronald L., viii
- Graham-Cumming, 325
- grammar, 365–377
- graph, 17–18, 145–179
 - acyclic, 173
 - affiliation, 18
 - bipartite, 161, 170
 - card, 157
 - coloring, 166
 - complement, 155
 - complete K_n , 147
 - complete bipartite $K_{n,\ell}$, 147
 - configuration, 159
 - conflict, 18
 - connected, 145, 173
 - counting, 190
 - cycle C_n , 147
 - deck, 157
 - degree, 145
 - degree-twins, 156, 203
 - DFA, 349
 - diameter, 156
 - directed, 152
 - edge, 145
 - hypercube, 156
 - interval, *see* interval graph
 - isomorphism, 145
 - line, *see* line graph
 - loop, 150
 - multigraph, 150
 - parallel edge, 150
 - path, 145
 - path/line L_n , 147
 - Petersen, *see* Petersen graph
 - planar, 149
 - polyhedron, 158
 - positive degree, 174
 - problem solving, 153, 159, 177
 - problems, 173
 - CLIQUE, 173
- DOMINATINGSET, 173
- INDEPENDENTSET, 173
- VERTEXCOVER, 173
- regular, 148
- relabeling, 145
- residual, 164
- simple, undirected, 150
- star S_{n+1} , 147
- subdivision, 158
- vertex, 145
- weighted, 150
- wheel W_{n+1} , 147
- graph theory, 145–179
- graphical sequence, 155
- greatest common divisor, *see* GCD
- greedy
 - k -center, 177
 - coloring, 167, 172
 - matching, 171
- Grimmett, Geoffrey, viii
- growth rate, 117
 - cubic, 118
 - exponential, 118
 - factorial, 118
 - linear, 117, 118
 - log, 118
 - loglinear, 118
 - nested sum, 118
 - polynomial, 118
 - quadratic, 118
 - rules, 119
 - superlinear, 118
 - transitive, 119
- Hadamard matrix, 110
- Haldane, J. B. S., 292
- half-full vertex, 108
- Hall's Theorem, 163, 170
 - König-Egerváry Theorem, 176
 - stronger sufficient condition, 164
- Halmos, Paul, 3
- $\mathcal{L}_{\text{HALT}}$, 392
- HALTING PROBLEM, 387, 392
- halting state, 377
- HAM-CYCLE, 426
- HAM-PATH, 409, 426
- Hamilton, William, 174
- Hamiltonian cycle, 169, 173
 - Dirac's Theorem, 174
 - Ore's Theorem, 174
- Hamiltonian path
 - tournament, 174
- HAMILTONIAN-VERIFY, 412
- Handshaking Theorem, 148
 - Sperner's Lemma, 160
- [HARD], 169
- hard problems, 14
- Hardy, Godfrey H., 21, 129
- harmonic mean, 82
- Harmonic number, 65, 120, 123
 - integration bound, 120
 - sum of, 126
- hash function, 249
- hashing, 248
 - collision, 249
 - collision probability, 250
- Havel-Hakimi, 155
- height(), 106, 108
- Hello World, 387, 394
- Helly's Theorem, 66
- Hempel's Paradox, 40
- Hidden Markov Model, 360
- Hilbert's 10th problem, 396
- Hilbert, David, 327, 390
- Hipassus, 21
- Hitler, 136
- hitting time, 276
 - expected, 290

- HMM, 360
- Hoeffding bound, 318, 324
- Hoeffding, Wassily, 318
- Hopcroft, John E., viii
- Horning, Jim, 225
- HTML, 371
- hydrocarbon, 92
- hydrocarbons, 92
- hypercube, 156
- Hypergeometric distribution, 275

- I spy* game, 203
- identically distributed, 262
- IF AND ONLY IF, 45
- IF... THEN... \rightarrow , 26
 - proving, 30
- image segmentation, 178
- implication, 26–28
 - proving, 30
- IMPLIES, 28
- in-degree, 152
- inapproximability, 428
- inclusion-exclusion, 199, 207
 - conditional probability, 235
 - counting multiples, 201
 - counting paths, 208
 - derangement, 201, 202
 - digit-sum, 207
 - Euler’s totient function, 202
 - formula, 200
 - integer solutions, 202
 - onto functions, 202
 - valid permutations, 202
- independence, 243–259
 - coin tosses, 243
 - eye color, 243
 - many events, 245
 - sex, 243
 - weather, 243
- independent set, 173, 348
 - and coloring, 174
 - interval graph, 176
 - probabilistic method, 308
 - Turán’s bound, 175
 - vertex cover, 174
- index of summation, 114
- indicator, sum of, 299–302
- IND-SET, 421, 423, 425
- induced subgraph, 157
- induction, 55–71, 85
 - 6-color theorem, 168
 - and dominos, 57
 - and well-ordering, 63, 338
 - backward, 79, 82
 - Binomial Theorem, 192
 - checklist, 78
 - climbing a ladder, 78
 - double, 80
 - exponential, 79
 - leaping, 74
 - local minimum, 82
 - on graphs, 148
 - ordinary vs. strong, 76
 - predicate, 56
 - principle of, 57
 - proof of by well-ordering, 63
 - strong, 70, 75–78
 - stronger claim, 71
 - structural, 101
 - sum of integer powers, 58
 - wrong, 59, 61, 64, 83
- induction step, 57
- inequality
 - AM-GM, 82, 83
 - AM-HM, 175
 - Boole’s, 218
 - Lubell-Yamamoto-Meshalkin, 258
- infinite binary strings, 334
 - B_∞ , 332
 - binary expansion, 333
 - eventually constant, 337
 - eventually zero, 333
 - uncountable, 332
- infinite loop, 383
- infinite probability space, 219
- Infinity, 327–339
 - algebra, 337
 - and computing, 334
- information, 402
- injection, 188, 327, 335
- instruction set, 349
- integer programming, 429
- integers, 15
- integration method, 119–126, 129
 - and recurrences, 121
 - factorial, 120, 121
 - geometric sums, 121
 - Harmonic number, 120
 - Stirling’s formula, 120
 - sum of integer powers, 120
- intersect CFL with regular, 375
- interval graph, 176, 428
- interviewing problem, 275
- INT-PROGRAM, 429
- inverse, 49
 - modular, 135
- invertible, 327
- irrational
 - $\sqrt{2}$, 21
 - $\sqrt{3}$, 24
- IS-SORTER, 425
- iso-butane, 92
- isomorphic, 154
- ISOMORPHIC, 415
- isomorphism, 145, 157
 - invariant, 146
- IS-PRIME, 415
- iterated expectation, 295–296
- iterated variance, 323

- James, William, 113
- Jensen’s inequality, 83, 307
- Johnson, 424, 427
- joint probability, 231
- joint-PDF, 272
- Josephus problem, 40, 69, 100
- Joyce, James, 101
- jugs puzzle, Die Hard, 131



- \mathcal{K} , Kolmogorov complexity, 402
- k -center, 169
 - greedy algorithm, 177
- k -dominated, 258
- k -SAT, 425
- König-Egerváry Theorem, 176
- Königsberg/Kaliningrad map, 150
- Karp, Richard M., 424
- Kelly–Ulam conjecture, 157
- key, private, 133
- King Bruce and the spider, 281
- Kleene star, 343, 346, 353, 361
 - unary, 348
 - vs. wildcard symbol, 346
- Kleene, Stephen, 327
- Kleinberg, Jon, viii
- KNAPSACK, 2-approximation, 428
- knight, 156, 159
- Knuth, Donald E., vii, viii
- Kolmogorov complexity, \mathcal{K} , 402
 - non-computable, 402
- Kolmogorov, Andrey, 211
- Kotzig, 159
- Kraft inequality, 109
- Kuratowski’s Theorem, 158

- \mathcal{L}^+ , positive concatenations, 347
- L -tile land, 72, 81
- LAME, 231
- language, 339–349
 - \mathcal{L}_{bal} , 342
 - $\mathcal{L}_{\text{even-pal}}$, 342
 - $\mathcal{L}_{\text{mult}}$, 380
 - $\mathcal{L}_{\text{punc-pal}}$, 371
 - $\mathcal{L}(M)$, 350
 - $\mathcal{L}_{\text{ALL-CFC}}$, 397
 - $\mathcal{L}_{\text{ALL-DFA}}$, 397
 - $\mathcal{L}_{\text{ALL-TM}}$, 397
 - \mathcal{L}_{CFC} , 397
 - \mathcal{L}_{DFA} , 397
 - $\mathcal{L}_{\text{TM-DECIDER}}$, 401
 - $\mathcal{L}_{\text{EMPTY-CFC}}$, 397
 - $\mathcal{L}_{\text{EMPTY-DFA}}$, 397
 - $\mathcal{L}_{\text{EMPTY-TM}}$, 397
 - $\mathcal{L}_{\text{EQ-CFC}}$, 397
 - $\mathcal{L}_{\text{EQ-DFA}}$, 397
 - $\mathcal{L}_{\text{EQ-TM}}$, 397
 - $\mathcal{L}_{\text{FINITE-CFC}}$, 397
 - $\mathcal{L}_{\text{FINITE-DFA}}$, 397
 - $\mathcal{L}_{\text{FINITE-TM}}$, 397
 - \mathcal{L}_{EXP} , 409
 - $\mathcal{L}_{\text{TM-LB}}$, 401
 - \mathcal{L}_{TM} , 389
 - $\mathcal{L}_{\text{CFC-00}}$, 397
 - $\mathcal{L}_{\text{DFA-00}}$, 397
 - $\mathcal{L}_{\text{TM-00}}$, 397
 - $\mathcal{L}_{(01)^n}$, 341, 348, 365
 - $\mathcal{L}_{0^n 1^n}$, 341, 348
 - $\mathcal{L}_{\text{palindrome}}$, 347, 348
 - $\mathcal{L}_{\text{repeated}}$, 341, 348
 - $\mathcal{L}_{\text{unary}}$, 341
 - $\mathcal{L}_{\text{door}}$, 340, 341
 - $\mathcal{L}_{\text{HALT}}$, 392
 - \mathcal{L}_{pal} , 341, 343
 - $\mathcal{L}_{\text{prime}}$, 339, 341
 - $\mathcal{L}_{\text{push}}$, 339, 341, 344–346
 - $\mathcal{L}_{\text{TM-reject}}$, 397
- addition, 359
- concatenation, 342
- decidable, 384
 - union, 388
- distinguisher, 364
- equality, 355
- finite description, 348
- Kleene star, 343
- non-context free, 372
- non-recognizable, 395
- non-regular, 355
- recognizable, 383
- recursive, 343
- reversal, 347, 362–364
- unary, 411
- unary, Kleene star, 361
- uncountable union, 346
- uncountably many, 348, 385
- $\mathcal{L}(M)$, language of machine M , 350
- $\mathcal{L}(M)$, 365
- LARGE-SUM, 414, 425
- last digit, 3^n , 134
- Latin square, 164
- law of large numbers, 315
 - strong, 317
 - weak, 317
- law of total expectation, 284
- law of total probability, 231–233, 241
- law of total variance, 323
- leaf, 108
- leaping induction, 74
 - postage, 75
- least common multiple, LCM, 141
- least-absolute-error, 290
- least-squares, 290
- left-matching, 163
- left-vertex, 162

- Lehman, Eric, viii
 Leighton, F. Thomson, viii
 lemma, 71
 Let's Make A Deal, 213
 Levin, Leonid, 418
 Lewis, Harry, viii
Liber Abaci, 89
 lifespan, conditioned on age, 283
 line graph, 175
 linear growth rate, 117
 linearity of expectation, 293
 little-oh, omega, 117–119
 Littlewood, John E., 41, 129
 Lloyd, E. K., 145
 logarithm, ln, 3
 logical connector, 26–30
 rules: associative, commutative,
 negation, distributive, im-
 plication, 29
 Lombard, 230
 lottery, 288
 Lovász, Laszlo, viii
 \mathcal{L}_{TM} , 389
 undecidable, 390–391
 Lubell-Yamamoto-Meshalkin, 193, 258
- machine instruction, 344
 machine-code, 377
 majority adoption, 11
 MAKE-CHANGE, 409, 412
 making change, greedy algorithm, 79
 map, coloring, 150
 mapping reduction, 400
 prove non-recognizable, 401
 marginal, 263
 Marilyn vos Savant (Mach), 213
 mark and recapture, 276
 Markov Inequality, 289, 316
 markup language, 370
 MATCH, 409
 matched parentheses, 91, 101–103, 107
 matching, 161–179
 augmenting path, 170
 complete graph, 171
 greedy, 171
 jobs on servers, 171
 network flow, 178
 perfect, 170
 residents to hospitals, 172
 stable, 165
 students to camps, 171
 students to courses, 171
 vertex cover, 175
 with capacities, 171
 matching game, 266
 mathematical induction, *see* induction
 matrix, 109
 doubly stochastic, 171
 Hadamard, 110
 multiplication, 110
 MAX-FLOW, 409
 maximal independent set, 174
 maximal matching, 170
 maximum chain, 159
 maximum clique, 429
 maximum cut, 175
 probabilistic method, 307
 maximum flow, 169
 maximum independent set, 174, 429
 maximum matching, 170
 maximum substring sum, 113
 algorithms, 127–128
 measurement, 259
 median, 290
 medical testing, 231
 meiosis, 239
 memory, 377
 memory, external, 356
- Menger's Theorem, 157
 Mersenne prime, 143, 144
 methane, 92
 method of differences, 60
 metric k -center, 177
 Meyer, Albert R., viii
 Micali, Silvio, 197
 min-cut, 257
 counting, 258
 minimum
 coloring, 174
 dominating set, 174
 stretch, 175
 vertex cover (bipartite), 176
 model of computing, 9, 377
 model, epidemics, 7
 modular arithmetic, 133–138, 141–142
 exponentiation, 137
 inverse, 135, 137, 138
 modular equivalence, 134
 modulus, 135
 moment generating function, MGF, 289
 monochromatic, 258
 Monte-Carlo, 215, 216, 220, 224, 255,
 271, 277, 279
 failure, 323
 variance, 323
 Monty Hall, 213, 217, 227, 236
 Moore's law, 123
 mortgage, 94
 Motwani, Rajiv, viii
 Mullis, Kary, 197
 multi-processor tree, 92
 multigraph, 150, 151, 154
 multinomial coefficient, 197, 198, 208
 Multinomial distribution, 275
 Multinomial Theorem, 198
 multiparty computation, MPC, 270
 multiplicative inverse, 135, 137, 138
 multiplicity rule, 186
 Myhill-Nerode Theorem, 364
- Nance, Kim, 161
 Nash, John, 292
 National Resident Matching, 172
 natural numbers, 15
 Nautilus shell, 100
 negation, 26
 neighbor, 146
 nested sum rule, 115–116
 nett worth versus GDP, 11
 network
 collaboration, 147
 real world, 147
 road, 147
 world-wide-web, 147
 network flow, 169
 Ford-Fulkerson algorithm, 178
 maximum matching, 178
 Nietzsche, Friedrich, 259
 Nim, 77, 82
 (NO)-state, 349
 node, *see* vertex
 noisy channel, 255, 273
 non-computable, 334
 Busy Beaver, 402
 Kolmogorov complexity, 402
 non-constructive proof, 203
 non-identical trials, 276
 non-polynomial, 409
 non-recognizable, 395
 $\mathcal{L}_{TM-DECIDER}$, 401
 $\mathcal{L}_{EMPTY-TM}$, 400
 \mathcal{L}_{EQ-TM} and $\overline{\mathcal{L}_{EQ}}$, 400
 non-regular, 355, 363
 $\mathcal{L}_{balanced}$, 356
 $\mathcal{L}_{0^n 1^n}$, 355
 addition, 359
- palindromes, 363
 nondeterminism, 362
 and complement, 362
 PDA, 364
 nondeterministic automaton, 354
 nondeterministic polynomial, *see* NP
 NOT/ \neg , 26
 NP, 413–431
 3-SAT, 422
 CIRCUIT-SAT, 418
 CLIQUE, 415
 COLORING, 416
 IND-SET, 423
 PARTITION, 414
 nondeterminism, 416
 NP-complete, 413–431
 3-COLORING, 428
 3-SAT, 422
 BALANCED-BIPARTITE-CLIQUE, 427
 BIG-CLIQUE, 424
 BIN-PACKING, 428
 BOUNDED- k , 426
 CIRCUIT-SAT, 418
 CLIQUE, 423
 DOM-SET, 428
 FREQ-ITEMS, 424
 IND-SET, 423
 KNAPSACK, 428
 PARTITION, 427
 SUBSET-SUM, 427
 VERTEX-COVER, 423
 X3-SAT, 429
 coping, 424
 integer programming, 429
 \mathbb{N}_{STRONG} , 103
 number theory, 129–145
 open problems, 144
- $o(\cdot)$, 117
 octohedron, 158
 $O(\cdot)$, 117–404
 $\omega(\cdot)$, 117
 $\Omega(\cdot)$, 117
 one-to-one, *see* 1-to-1
 1-to-1, 184, 327, 335
 ONLY IF, 28
 onto, 184, 327, 335
 OR/ \vee , 26
 order notation, *see also* asymptotic
 analysis, 117–119, 404
 polynomial, 118
 Ore's Theorem, 174
 ork, 101
 out-degree, 152
 outcome, 211, 212
 outcome-probability, 212–217, 233, 260
 outcome-tree, 212, 213, 215, 233
 infinite, 233
- P, 403–413
 2-COLORING, 428
 2-SAT, 427
 $P(\cdot)$, outcome-probability, 216
 $P = NP$, 413–431
 $\mathbb{P}[\cdot]$, event probability, 217
 packet transmission, 222
 palindrome, 91, 104, 107
 recursive definition, 104
 Palmer, Thomas H., 281
 Papadimitriou, Christos, viii
 paradox
 barber, 335
 birthday, 246
 exchange, 292
 friends, 155
 Galton, 221, 234
 Russell's, 338
 Simpson's, 239

- St. Petersburg, 305
 switching, 292
 parity, 11, 13
 parking function, 196
 parse tree, 92, 369
 partial fraction, 4
 partial order, 152–153, 159
 antichain, 152
 maximum chain, 152
 partition, 156, 241
 PARTITION, 414, 427
 partners
 average, 162
 total, 162
 Pascal's Identity, 182, 192
 Pascal's Triangle, 182
 Pascal, Blaise, 98, 211
 password, 289
 Patashnik, Oren, viii
 path, 145
 disjoint, 178
 Euler, 156
 length, 145
 number of, 156
 shortest, 145, 157
 simple, 145
 stretch, 175
 PATH, 409, 412, 425
 PATH-DIR, 425
 PCP, 393, 399
 recognizable, 399
 PDA, 356–357, 371
 instruction, 357
 nondeterministic, 364, 372
 PDF, 260–264
 n dice, 322
 build-up, 322
 conditional, 272
 dice, 261
 from CDF, 265, 270
 joint, 262
 marginal, 263
 normalization, 269
 number of successes, 275
 plot
 Binomial, 268
 uniform, 268
 waiting time, 268
 Poisson, 276
 random walk, 273
 sum, 269, 270
 sum to 1, 269
 waiting time, 268
 waiting time, sum, 270
 Pelikán, József, viii
 perfect matching, 170
 perfect number, 129, 144
 even, 143
 Perlis, Alan, 349
 permutation matrix, 171
 permutations, 186
 $\binom{n}{k_1, \dots, k_r}$, 197
 boys and girls, round table, 196
 random, 223
 with repetition, 197
 Petersen graph, 174
 3-coloring, 174
 Euler path, 174
 Hamiltonian path, 174
 no Hamiltonian cycle, 174
 not bipartite, 174
 φ , golden ratio, 90, 100
 Picasso, Pablo, 349
 Pick's Theorem, 69
 pigeonhole principle, 202
 born on same day, 205
 congruence (mod k), 205
 generalization, 209
 head-hair, 205
 increasing subsequence, 205
 prove non-regular, 356
 social twin, 203
 subset-sum, 204, 209
 plain text attack, 136, 142
 planar graph, 149, 158
 5-color theorem, 173
 6-color theorem, 168
 and polyhedra, 150
 bound on edges, 150, 168
 coloring, 168
 external face, 150
 integrated circuit design, 149
 internal face, 150
 map, coloring, 150
 planar subgraph, 158
 Plutarch, 211
 Poisson distribution, 276
 variance, 319
 Poisson-Binomial distribution, 276
 expected value, 294
 pokemon, 208
 poker hands, 187, 207, 219, 222, 238
 Polyá's mouse, 6
 Polyá, George, viii, 78
 polyhedron, 150, 158
 polynomial, 403–431
 \mathcal{L}_{EXP} , 409
 input format, 411
 order, 118
 Pope, Alexander, 277
 Popular Mechanics, 377
 positive predictive value, PPV, 238
 Post's Correspondence Problem, *see*
 also PCP
 postage, 55, 66, 75
 power set, 17, 65, 333–334
 cardinality, 337
 PPV, positive predictive value, 238
 Prüfer code, 196
 predator-prey game, 292
 predicate, 31
 preference list, 164
 Pregel (river), 151
 Prentice-Hall, 225
 Prim's algorithm, 176
 prime factorization, 75
 prime number, 75, 129
 factoring is hard, 134, 138
 factorization, 133
 generating, 141
 infinitely many, 129
 Mersenne, 143
 modulus, 135
 of the form $3n + 2$, 142
 of the form $4n - 1$, 142
 sieve of Eratosthenes, 141
 probabilistic method, 258, 307
 3-SAT, 308
 independent set, 308
 maximum cut, 307
 Ramsey numbers, 307
 probability, 211–216, 325
 EXCLUSIVE-OR, 223
 and sets, 216
 Bayes' Theorem, 233
 build-up, 241
 case-by-case analysis, 231
 complement, 218
 conditional, 225
 cumulative, 264
 device failure, 274
 dice, 213
 event, 213
 failure, 255
 frequency interpretation, 212
 genetics, 273
 guess high or low, 272
 implication bound, 218
 inclusion-exclusion, 218, 224
 intersection, 218
 joint, 231
 law of total probability, 231–233
 more than 2 cases, 241
 meaning, 211
 mechanical, 211
 outcome, 212
 outcome-tree method, 213, 216
 path, 222
 sampling bias, 229
 six steps, 211
 sum rule, 218, 231
 survival, 240
 union, 218
 probability dist. function, *see* PDF
 probability function, 216
 probability space, 217, 221, 223, 227,
 261, 269
 infinite, 219
 uniform, 215, 218
 product
 \prod , 3
 and sums, 125
 consecutive numbers, 193
 empty, 4
 Euler, 144
 expected value, 297
 product-state, 353
 production rule, 365
 profilactic, 222
 program translation, 396
 program verification
 undecidable, 394
 proof, 9, 19–22, 41–55
 Binomial Theorem, 192
 by contradiction, 21, 47–48
 by contraposition, 45
 combinatorial, 193
 direct proof, 41–44
 direct with contradiction, 48
 disproving implication, 44
 equivalence, 46
 for all, 43–44, 55–85
 IF AND ONLY IF, 46
 induction, 55–85
 involving GCD, 130
 involving sets, 48
 non-constructive, 203
 picking a template, 48
 readable, 42
 recursion, 101–113
 seven "C's", 50
 structural induction, 102
 three steps, 22
 wrong, 50
 propane, 92
 proposition, 25–41
 compound, 26–30
 derivation, 29
 equivalence, 28
 quantified, 30
 prosecutor's fallacy, 238
 pseudocode, 377
 public key cryptography, 136
 pumping lemma, 364
 CFG, 375
 punctuation, 339, 364
 pushdown automata, 371
 pushdown automaton, *see* PDA
 puzzles, 11
 $3n + 1$, 14
 2-contact ebola, 12
 bipartite birthday, 171
 break chocolate, 11
 break the links, 12

- bridge crossing, 12
- camel and bananas, 12
- canibals and pacifists, 159
- catch the thief, 14
- chameleon, 12
- chomp, 12
- coins in a line, 13
- comparison scale, 13
- connection, 6
- domino combining, 9
- egg-drop, 12, 98
- elimination tournament, 11
- fastest horses, 13
- find the good processor, 13
- fly around the world, 13
- fox, chicken and corn, 12
- graph path game, 171
- guess the number, 13
- jugs, 140
- jugs, Die Hard, 131
- matching subset sums, 14
- Monty Hall, 213
- non-attacking queens, 159
- pardon the prisoners, 13
- pirates, 11
- poisoned wine, 13
- quarters game, 11
- replacing cards, 13
- security guards, 12
- sliding tiles, 83
- Sudoku, 172
- tiling, 12
- trash compactor, 99
- trucks delivering payload, 12
- voyage around the world, 174
- with dominos, 12
- Pythagoras, 58
- Pythagorean Theorem, 143
- Pythagorean Triple, 143
 - primitive, 143
- \mathbb{Q} , countable, 331, 336
- quantifier, 30–41
 - ALL/ \forall , 31
 - combining with connectors, 32
 - existential, 32
 - EXISTS/ \exists , 32
 - mixing, 33
 - negation, 33
 - proofs, 34
 - universal, 32
- Quicksort, expected runtime, 286
- quine, 399
- quotient, 129
- quotient remainder theorem, 24, 69, 84, 129, 139
- Rademacher, Paley & Zygmund, 256
- Radhakrishnan, 258
- radio frequencies, 166
 - assignment, 177
- radix, 411
- Radó, Tibor, 402
- RAM, 373, 377
- Ramanujan, Srinivasa, 129
- Ramsey number, 24, 157
 - lower bound, 307
- random, 212
- random graph, 273, 276
- random variable, 259–277
 - Bernoulli, 265
 - binary, 265
 - Binomial, 273
 - conditional probability, 260
 - event, 260
 - function of, 272
 - independent, 264, 269, 272
 - indicator, 259, 264, 265, 269
 - match, 272
 - sum, 269
 - transformation, 272
 - uniform, 266
- random walk, 223, 250–252, 276
 - expected hitting time, 290
 - PDF, 273
 - variable step size, 322
- randomization device, 212
- randomized algorithm, 256–257
- randomness of string, 402
- rational numbers, 16
 - countable, 336
- RBT, *see also* tree, 92, 105, 106, 108
 - counting, 112
- read-write head, 377
- real numbers, 15
 - uncountable, 332
- recognizable, 383
 - $\mathcal{L}_{\text{EQ-CFG}}$, 398
 - \mathcal{L}_{TM} , 389
 - closure, 400
 - PCP, 399
- record breaking, 300, 305
- recurrence, 89–90, 113
 - k th order linear, 95
 - analysis with linear algebra, 97
 - exponential sequence, 95
 - gambler's ruin, 251, 256
 - generating function, 93, 110
 - integration bound, 121
 - linear, 93, 95
 - unfold, 121
- recursion, 85–101, 113
 - \mathcal{L}_{PAL} , 343
 - $\binom{p}{k}$, 182
 - Akra-Bazzi formula, 96
 - asymptotic analysis, 124
 - Catalan, 98
 - CFG, 365
 - change of variable, 110
 - checklist, 90
 - computing determinant, 98
 - derangement, 201
 - on trees, 106
 - Pascal's recursion, 98
 - proof, 101–113
 - proof of correctness, 87
 - Towers of Hanoi, 99
 - unfolding, 87
- recursion vs. induction, 86
- recursive case, 86
- recursive function, 86
- recursive program, 90
 - correctness, 90
 - runtime recurrence, 90
- recursive progress, 86
- recursive set, 91
 - \mathbb{N} , 91
 - basis, 91
 - constructor, 91
 - finite binary strings, 91
 - matched parentheses, 91, 101–103
 - minimality, 91
 - multiples of 3, 108
 - palindromes, 91
 - powers of 3, 91
- recursive structures
 - derivation, 93
 - rooted binary tree, 92
 - rooted full binary tree, 93
 - trees, 92, 158
- reductio ad absurdum*, 21, 47–48
- reduction, 391–393, 400
 - 3-SAT to 3-COLORING, 428
 - 3-SAT to IND-SET, 423
 - 3-SAT to INT-PROGRAM, 429
 - 3-SAT to SUBSET-SUM, 427
 - 3-SAT to solitaire, 429
 - CIRCUIT-SAT to 3-SAT, 422
 - CLIQUE to BIG-CLIQUE, 424
 - CLIQUE to CIRCUIT-SAT, 419
 - CLIQUE to FREQ-ITEMS, 424
 - COLORING to scheduling, 429
 - PARTITION to BIN-PACKING, 428
 - PARTITION to KNAPSACK, 428
 - VERTEX-COVER to DOM-SET, 428
- regret, 166, 171
- regular, 154
- regular expression, 342, 346, 352, 360
 - and complement, 343
 - DFA, 355
 - intersection and complement, 361
- regular graph, 148, 170
- regular language, 351
 - closure, 363
 - complement, 352
 - concatenation, 353
 - intersection, 352
 - Kleene star, 353
 - union, 352
 - pumping lemma, 364
- relation
 - binary, 152
 - reflexive, 152
 - transitive, 152
- relatively prime, 130, 139, 202
- RELPRIME, 412
- remainder, 129
- representation, powers of 2, 77, 81
- residual graph, 164
- resource allocation
 - and Sperner's Lemma, 160
 - envy-free, 160
- restricted choice, 224, 239
- return time, 276
- reversal, 347, 362
 - language, 347, 364
- RFBT, *see also* tree, 93, 108
- RFTT, 108
- Rice's Theorem, 399
- Riemann Hypothesis, 144
- Riemann sum, 119
- right-vertex, 162
- Ringel, 159
- Rivest, Ron, 137
- rooted binary tree, 105
- Rosa, 159
- Rota, Gian-Carlo, 327
- roulette, 252, 255, 277
 - Monte Carlo, 240
- rounding operation, 84
- RSA, vii, 129, 137–138
 - algorithm, 138
 - mathematics of, 138
- RT, 108
- RTT, 108
- runtime, 114
- runtime function
 - compare, 118
- Russell's Paradox, 338
- Russell, Bertrand, 113, 277, 309, 338
- Russian roulette, 222
- Rutherford, Ernst, 403
- sample average, 278
- sample space, 216, 221
- sampling bias, 229
 - we're growing taller, 234
- sampling without replacement, 305, 321
- satisfiability, 418–421, 426
 - 2-SAT is in P, 427
 - k -SAT, 425
- Satterwhite, Valery, 259

- scheduling, 166, 178, 429
 NP-complete, 429
- Schlicler, Dean, 7
- scratch-paper, 349
- search, 249
 binary, 249
 sorting approach, 249
- search tree, 92
- self reference, 85
- self-replicating program, 399
- sequence, 17
- sequences with repetition, 197
- Sesame Street, 179
- set, 15–17
 countable, *see* countable
 difference, 53
 infinite, 327–339
 measure zero, 338
 operations, 16
 associative, 17
 commutative, 17
 complement, 16
 distributive, 17
 intersection, 16
 union, 16
 prove equality, 48
 recursive, 91
 ugly, 337
- seven bridges of Königsberg, 151
- sex in America, 161
- Shakespeare, 165
- Shamir, Adi, 137
- Shank's transform, 127
- Shaw, George Bernard, 243
- Sherlock Holmes, 225, 293
- Shimura, Goro, 101
- SHORTEST-PATH, 409
- sieve of Eratosthenes, 141
- σ , *see* standard deviation
 σ^2 , *see* variance
- Simpson's paradox, 239
- simulate dice, 304
- simulation, 215
- simulation theorem, 408
- Sisyphus, 10
- six-shooter, 222
- size(), 106, 108
- social golfer problem, 11
- social network, 8
 marketing, 11
- Social Organization of Sex., 161, 162
- social twin, 203, 248
- solitaire, NP-complete, 429
- solvable, 413
- sorter, 425
- spam, 236
- spanning
 minimum weight, 175
- spanning tree, 157, 169
 low stretch, 175
 complete graph, 175
- speed dating, 8, 11
- Spencer, 258
- Sperner's Lemma, 160
 Brouwer Fixed Point Thm., 160
 envy-free resource allocation, 160
- spiral
 galaxy, 100
 golden, 100
 logarithmic, 100
 storm, 100
- spread, 320
- Srinivasan, 258
- St. Petersburg Paradox, 305
- stable marriage, 164, 171
 all matchings, 171
 proposer wins, 166, 172
 volatile pair, 165
- stable matching, *see* stable marriage
- standard deviation, 311, 320
- Stanley, Richard P., viii
- star, 147
- state
 halting,  , 377
 product, 353
 subset, 354
- Stirling number, 191
- Stirling's formula, 120, 121, 209
- Stirzaker, David, viii
- stochastic matrix, 171
- stretch, 175
- string
 concatenation, 104
 reversal, 104
- string patterns, 342
- strong induction, 70, 75, 76
 Fund. Theorem of Arithmetic, 75
 games, 77
 making change, 79
 representation, powers of 2, 77
- strong law of large numbers, 317
- strongly connected, 152
- structural induction, 101–113
 and strong induction, 103
 checklist, 106
 on \mathbb{N} , 103
 proof of, 112
 tree properties, 105–106
- subdivision, 160
- subgraph, 157
- subgraph, induced, 157
- subsequence, monotonic, 159
- subset relation, 16
- subset-state, 354, 355
- SUBSET-SUM, 415, 425
 build-up method (dynamic programming), 427
 reduction to PARTITION, 427
- substitution rule, 365
- Sudoku, 172
- sum, 113–129
 Σ , 3, 113
 addition rule, 114
 and Taylor series, 127
 arithmetic, 59
 bounding terms, 125
 common sums, 114
 constant rule, 114
 cubes, 61
 dice, 294
 divergent, 127
 empty, 4
 expected value, 293
 geometric, 56, 59, 99
 integration bound, 121
 integer powers, 58, 70, 120
 integers, 58
 maximum substring, 113
 nested sum rule, 115–116
 odd numbers, 61
 reciprocal of squares, 127
 Riemann, 119
 rules, 114–117
 squares, 60
 telescoping, 70, 126, 127
 using derivative, 291
 using integration, 119–129
 variance, 313
- sum rule, disjoint sets, 179
- sum rule, probability, 231
- sum share, 270
- summand, 114, 115, 118
- summation, 113–129
 accelerate, 127
 and differentiation, 126
 by parts, 126
- index, 114
- superpermutation, 195
- surjection, 188, 327, 335
- survey design, 178
- survival curve, 238
- switch or not, 213
- Taniyama, 101
- tape
 beacon symbol, *, 377
 blank symbol, \sqcup , 377
 erase, 394
- Tardos, Éva, viii
- telescoping sum, 70, 126, 127
- ternary strings, 319, 335
- Texas Holdem, 238
- theorem, 19
- $\Theta(\cdot)$, 117–404
- tiling
 domino, 12, 83
 triomino, 72, 81, 82
- time complexity, 403–413
- tinkering, 7, 10, 60
- TM, *see* Turing Machine
- Tolstoy, Leo, 101
- topological sort, 159
- total expectation, 284, 295
 dice rolls, 285
 different types of coins, 284
 waiting time, 285
- total order, 152
- total probability, 231–233, 241
- totient function ϕ , 143
- tournament, 68, 152, 223, 258
 acyclic, 159
 Hamiltonian path, 174
 inconsistency, 68
 ranking, 68
 ranking, strong induction, 81
 round-robin, 68
 top-dog, 153
- Towers of Hanoi, 99
- TQBF, 430
- trace, 350
- transcendental number, 337
- transducer, 359
 Turing Machine, 381
- transfinite realm, 334
- transposed conditional, 230
- traveling salesperson, *see* TSP
- tree, 92–93, 149
 2-colorable, 168
 BFS, 158
 binary, 108
 binary, full, 108
 child node, 92
 child subtree, 92
 coloring, 168
 connected acyclic graph, 173
 graceful labeling, 159
 greedy coloring, 172
 height(), 106, 108
 induction, 173
 Kraft inequality, 109
 merge, 109
 ordered, 92
 properties, 93
 recursive definition, 92, 105
 recursive function on, 106
 root, 92
 rooted, 108
 rooted binary, 92, 105–106
 rooted full binary, 93
 size(), 106, 108
 spanning, 157
 minimum weight, 175
- spanning tree
 minimum, 176

- ternary, 108
- ternary, full, 108
- true quantified boolean formula, 430
- Truman, Harry, 229
- truth table, 28–30
- TSP, 176, 403, 411
- Tukey, John, 113
- Turán, 175
- Turing Award, 104, 325
- Turing Machine, 373, 377–387
 - *01*, 381
 - $\{0^{*n}1^{*n}\}$, 403
 - using two tapes, 405
 - and circuits, 419, 426
 - copying, 383
 - counter, 394
 - decider, 384
 - encoding, 384
 - fast, 405
 - finite binary string, 385
 - infinite loop, 383
 - linearly bounded, 401
 - LR vs. LRS, 386
 - machine-instruction, 378
 - multiplication, 380
 - programmable, 388
 - recognizer, 383
 - reversal, 383
 - sketch, 387–388
 - squaring, 383
 - transducer, 381
 - two-tape using one, 388, 407
 - universal, 388
 - $\{w#w\}$, 377, 379
 - $\{ww\}$, 381
- Turing, Alan, 136, 325, 334, 377, 390
- Twain, Mark, vii, 41, 85
- twin-prime, 346
- 2-hop neighbor, 178

- ugly set, 337
- Ullman, Jeffrey, viii
- ultimate-debugger, 387, 396
 - does not exist, 393
- uncountable, 361
 - continuum, 333
 - infinite binary strings, 332
 - measure zero set, 338
 - real numbers, 332
- undecidable, 387–403
 - $\mathcal{L}_{\text{ALL-CFG}}$, 398
 - $\mathcal{L}_{\text{ALL-TM}}$, 399
 - $\mathcal{L}_{\text{TM-DECIDER}}$, 401
 - $\mathcal{L}_{\text{EMPTY-TM}}$, 398
 - $\mathcal{L}_{\text{EQ-CFG}}$, 398
 - $\mathcal{L}_{\text{EQ-TM}}$, 399
 - $\mathcal{L}_{\text{FINITE-TM}}$, 399
- $\mathcal{L}_{\text{TM-LB}}$, 401
- \mathcal{L}_{TM} , 390–391
- $\mathcal{L}_{\text{TM-00}}$, 398
- $\mathcal{L}_{\text{HALT}}$, 392
- PCP, 394
 - program verification, 394
 - prove, 392
 - TM language is regular, 399
- uniform probability space, 215, 218
- uniform random variable, 266
- union, countable, 330
- universal set, 15
- universal Turing Machine, 388
- U_{TM} , 388
- Unix, 342
- unordered pair, 146
- unsolvable, 387–403
- urn, 222, 224
- utility graph, 149

- value(\cdot), 104–105
- van Lint, J. H., viii
- Vandermonde convolution, 192, 208
- Vardi, Ilan, 56
- variance, 309–318
 - 3-sigma rule, 315
 - Bernoulli, 312
 - Binomial, 312
 - computing, 311
 - conditional, 323
 - iterated, 323
 - maximize, 322
 - non-negative, 312
 - Poisson, 319
 - reduce, 320
 - sum, 313–315
 - uniform, 312
 - waiting time, 312
- Venn diagram, 17, 48, 53, 200
- Verghese, Abraham, 129
- verifiable, 413
 - and nondeterminism, 417
 - polynomially, 414
- verification, hello world, 14
- vertex, 145
 - vertex cover, 169, 173
 - independent set, 174
 - matching, 175
- VERTEX-COVER, 423, 425
- Vesztegombi, Katalin, viii
- viral marketing, 174
- virus, 400
- volatile pair, 165
- voltage fluctuations, 322
- von Neumann, John, 7, 25, 431

- waiting time, 285, 291

- k successes and ℓ failures, 275
- r successes, 274, 291
 - boy, 268
 - boy and girl, 269, 286
 - equal boys and girls, 291
 - expected, 294, 305
 - geometric distribution, 268
 - memoryless, 274
 - packet transmission, 268
 - squared, 286, 294
 - string of tosses, 269
 - to success, 268
 - two boys, 268, 285
- Wald, Abraham, 230
- water-bullet-roulette, 222
- Watson, Thomas J., 431
- weak law of large numbers, 317
- web-graph, 147
- weighted degree, 156
- weighted graph, 150
 - Handshaking Theorem, 151
- well-ordering principle, 20–22
 - induction, 63, 70, 338
- West, Douglas B., viii
- wheel, 147
- WHENEVER, 28
- Wierstrauss, 127
- wildcard symbol, 342, 347
 - vs. Kleene star, 346
- Wiles, Andrew, 53
- Wilf, Herbert, 55
- Williams, Serena, 3
- Wilson, R. J., 145
- Wilson, R. M., viii
- Wilson, Sariah, 161
- witness, 414
- witness reliability, 237
- world-wide-web, 147
- worst case analysis, 404
- Wozniak, Steve, 149
- WWII, 133, 136, 230

- x3-SAT, 429
- XML, 371
- XOR, 223

- $\overline{\text{YES}}$ -set, 341–350
- $\overline{\text{YES}}$ -state, 349
- younger-twin-prime, 346

- z-score, 317
 - mean and variance, 319
- Zeitz, Paul, viii
- Zermelo-Fraenkel with Choice, ZFC,
 - 15, 334, 338
- zero knowledge proof, 430