

---

# Index

- $T(\cdot)$ , 115
- $\Sigma$ , 115
- $\vee$ , 28
- $\wedge$ , 28
- $\neg$ , 28
- $\gcd(\cdot, \cdot)$ , *see also* GCD
- $\rightarrow$ , 28
- $F_n$ , 129, 141
- $H_n$ , 67, 122
- $O(\cdot)$ , 121
- $Q(\cdot, \cdot)$ , 185, 199
- $R(\cdot, \cdot)$ , 159
- $[n]$ , 190, 208
- $\Delta$ , 169, 174
- $\mathbb{N}$ , *see* natural numbers, 93
- $\Omega(\cdot)$ , 121
- $\Omega$ , 218
- $\mathbb{Q}$ , *see* rational numbers
- $\mathbb{R}$ , *see* real numbers
- $\Sigma^*$ , 93
- $\Sigma$ , 5
- $\Theta(\cdot)$ , 121
- $\mathbb{Z}$ , *see* integers
- $\lceil \cdot \rceil$ , 96
- $\chi$ , *see* chromatic number, 174
- $\binom{n}{k_1, k_2, \dots, k_r}$ , 199
- $\binom{n}{k}$ , 184
  - formula, 189
  - parity, 196
  - recursion, 184
- $\mathcal{A}_{\text{ODD}}$ , 106–107
- $\emptyset$ , *see* empty set
- $\exists$ , 34
- $\forall$ , 33
- $\gamma \approx 0.577$ , 122
- $\gcd(\cdot, \cdot)$ , 132–134
- $\text{lcm}(\cdot, \cdot)$ , 143
- $\omega(\cdot)$ , 121
- $\mathcal{P}$ , *see* power set, 67
- $\prod$ , 5
- $\text{rem}(\cdot, \cdot)$ , 131
- $\{\cdot\}$  (rounding operation), 86
- $\sqrt{2}$ , 23
- $e \approx 2.71828$ , 71
  - bounds for, 71
- $e^{i\theta}$ , 129
- $o(\cdot)$ , 121
- 1-to-1, 186, 329
- 2-COLORING, 430
- 2-contact EBOLA, 13
- 2-SAT, 429
- 3-SAT
  - probabilistic method, 310
- 3-SAT, 424, 428, 431
  - derandomize, 310
  - exact version, 431
- 3-sigma rule, 317
- $3n+1$  conjecture, *see* Collatz conjecture
- A Mathematician's Apology*, 131
- ABC News, 163
- Abel, 128
- absolute deviation
  - expected, 322
- acyclic, 161
- addition rule, 116
- adjacency
  - list, 148, 156
  - matrix, 148, 156, 158
- Adleman, 138
- Akra-Bazzi, 98
  - formula, 98
- algebraic number, 339
- algorithm
  - analysis, 115
  - runtime, 115
- alien, 159
- alien civilizations, 246
- AM, *see* arithmetic mean
- AM-GM inequality, 84, 85
- AM-HM inequality, 177
- anagram, 208
- anagrams, 199
- AND/ $\wedge$ , 28
- approximation
  - using integration, 121–131
- approximation algorithm
  - BIN-PACKING, 430
  - KNAPSACK, 430
- area under curve, 122
- Aristotle, 213
- arithmetic expression, 106
- arithmetic mean, 84
- arithmetic series, 62

- ASCII code, 19
- Ask Marilyn*, 215
- assign frequencies, 13
- assignment
  - animals to habitats, 179
  - exam slots, 179
  - radio frequencies, 179
- asymptotic analysis, *see also* growth rate, 115–131
  - linear, 119
- asymptotics, 119
- augmenting path, 172
- AUTO-GRADE, 389, 396
- automaton
  - nondeterministic, 356
- average, 69, 279
  - $n$ -dice, 311
  - rainfall, 279
  - reciprocals, 314
  - sample, 280
- averaging
  - minimize variance, 322
- axiom, 22
  - well ordering principle, 22
  
- $B_\infty$ , 334
- Backus, 246
- balanced parentheses, 103
- BALANCED-BIPARTITE-CLIQUE, 429
- Ballot Theorem, 242
- balls and bins, 326
- balls and weighings, 55
- Banach's Matchbox, 305
- Banach's matchbox, 278
- barber paradox, 337
- Barton, 283
- barycentric coordinate, 162
- base case
  - induction, 59
  - recursion, 88
- Basel problem, 129
- Batman™, 202
- Bayes' Theorem, 235, 274
- Beck, 260
- bell-curve, 320
- Bernoulli
  - number of heads, 267
  - position of drunk, 267
- Bernoulli, 60, 306
  - maximizes variance, 324
  - sum
    - PDF, 269
- Bernoulli numbers, 72
- Bernoulli random variable, 267
  - sum, 267
- Bernoulli's inequality, 66
- Bertrand's Postulate, 146
- Bezout coefficients, 142
- Bezout's identity, 133, 137, 142, 143
- BFS, 160
  - tree, 160
- bias
  - sampling, 232
- big-oh, 119–121
- big-omega, 119–121
- big-theta, 119–121
- Biggs, iv
- bijection, 186–188, 191, 211, 329, 337
  - binary sequences and shortest paths, 196
  - counting goody-bags, 187
  - counting menus, 187
  - definition, 186
- binary
  - cyclic shift, 54
- binary sequence
  - independent
    - BITWISE-OR, 273
- binary string
  - infinite, 336
  - programs, 336
- binary strings
  - finite, 337
- Binomial
  - distribution, 243, 244
  - expected value, 296
  - random walk, 276
- binomial, 189
  - sums, 194
- Binomial coefficient
  - generalized, 195
- binomial coefficient, 68, 86
  - $\binom{n}{k}$ , 184, 189
  - central
    - bound, 69
    - identities, 194
    - Pascal's identity, 100
    - sum of squares, 196
- Binomial distribution, 269
  - computing, 275
  - maximum probability, 275, 276
- Binomial Theorem, 68, 69, 72, 129, 140, 145, 189, 210
  - proof by induction, 194
- BIN-PACKING, 430
  - $\frac{3}{2}$ -approximation, 430
  - 2-approximation, 430
  - inapproximability, 430
- bins
  - with capacities, 212
- bipartite, 172
  - matching, *see also* matching
- BIPARTITE, 429
- bipartite graph, 163–168
  - adjacency matrix, 173
  - chromatic number, 170
  - complete, 166, 173

- König-Egerváry Theorem, 178
  - matching, *see also* matching, 164
  - matching condition, 165–166
  - no odd-cycle, 172
- birthday paradox, 248–250
- birthday problem, 257
- birthday puzzle on bipartite graph, 173
- bit, 106
- BITWISE-OR, 273
- Bletchly Park, 138
- Boole’s inequality, 220
- Boolean games, 432
- bound
  - Hoeffding, 320
- boundary
  - efficient vs. inefficient, 413
- BOUNDED- $k$ , 428
- Bouton, 84
- breadth first search
  - see* BFS, 160
- breathalyzer, 240
- Brouwer Fixed Point Theorem, 162
- build-up
  - probability, 243
- build-up counting, 184–188
  - $\binom{n}{k}$ , 184
  - recursion, 184
  - binary sequences
    - $k$  ones, 184
  - goddy-bags, 185
  - induction, 185
  - sequences
    - with constraints, 185
- build-up expectation, 299
- Busy Beaver, 404
  - non-computable, 404
- butane, 94
- Cantor, 339
  - diagonalization, 335
  - set, 340
  - transfinite realm, 336
- Cantor’s Theorem, 339
- Cantor, Georg, 329
- Cantor-Bernstein Theorem, 330
- capacity, 173
- capture-recapture, 278
- cardinality, 329
  - irrational numbers, 339
  - square,  $\mathbb{R}^2$ , 339
- Cartesian product, 25
- case-by-case analysis
  - total probability, 233
- Catalan
  - recursion, 100
- Catalan number, 114, 197
- Cauchy, 84
  - Cauchy-Schwarz Inequality, 323
- Cayley, 94
- Cayley’s formula, 198
- CDF, 266–267
  - Binomial, 273
  - from PDF, 272
  - uniform distribution, 273
  - waiting time, 273
- ceiling function, 96
- certificate, 416
- certifier, 416
- CFG, 367–379
  - $\mathcal{L}_{\text{bal}}$ , 369
  - $\text{CFG}_{\text{bal}}$ , 368
  - arithmetic, 372
  - Chomsky Normal Form, 371, 376
  - complement, 375
  - concatenation, 370
  - context sensitive, 378
  - derivation, 368
    - leftmost and rightmost, 377
  - English, 368
  - Ginsburg-Rice Theorem, 377
  - implementing DFA, 370
  - intersection, 375
  - intersection with regular, 377
  - Kleene star, 370
  - markup language, 372
  - parse tree, 371
  - production rule, 367
  - programming, 368
  - prove grammar works, 369
  - pumping, 377
  - pumping lemma, 375, 378
  - recursion, 367
  - right-linear, 377
  - terminal, 367
  - unary language, 377
  - union, 370
  - variable, 367
- CFL, *see* CFG
- chain
  - maximum, 161
- Chebyshev, 146
- Chebyshev Inequality, 318
- checkers, 431
- chess, 431
- chessboard, 158
  - infinite, 161
- Chevalier de Méré, 213
- Chinese postman, 158
- Chinese Remainder Theorem, 144
- Choice, 340
- Chomsky, 372
- Chomsky Normal Form, 371, 378
- “choose”  $\binom{n}{k}$ , 184
- chromatic number, 169

- properties, 174
- Church-Turing Thesis, 386, 405
  - extended, 409
- Churchill, iii
- circuits, 420
  - CLIQUE, 422
  - AND, 422
  - SORTER, 422
  - and Turing Machines, 421, 428
  - sorter, 427
- CIRCUIT-SAT, 420
- clinical trial, 275
- clique, 10, 175
- CLIQUE, 411, 413, 417, 418, 427
- CLIQUE-VERIFY, 414
- closure, 42, 56
- coefficient
  - binomial, 269
- Coeliac, 240
- Cohen, 336
- coin, 183, 214
  - biased, 242, 271
  - fair, 213, 221, 223, 236
    - from biased, 234, 242
  - two-headed, 234, 239
- coincidence, 248
- Collatz conjecture, 16, 96
- COLOR-VERIFY, 414
- coloring, 163–170, 181, 350
  - 4-color theorem, 160
  - 5-color theorem, 175
  - assignment, 168
  - chromatic number, 169
  - conflict resolution, 169
  - Greedy, 174
    - tree, 174
  - greedy, 169
    - bound, 169
  - independent set, 176
  - polyhedron faces, 179
  - proper, 169
  - scheduling, 168
  - using chromatic number oracle, 175
  - valid, 169
  - weak 2-coloring, 176
- COLORING, 417, 418, 427
- combinations, 188
  - count, 189
- combinatorial proofs, 195
- common sums, 116
- community integration, 180
- comparison weighing, 15, 69
- complement graph, 157
- complete
  - bipartite, 166
  - bipartite graph, 173
- complete bipartite graph, 149
- complete graph, 149
- complex numbers, 129
- complexity
  - computing problem, 346
- component, 157
- COMPOSITE-VERIFY, 414
- composition
  - of a number, 196
- compressible, 404
- compression tree, 94
- computable
  - function, 402, 404
  - number, 404
- computation
  - definition, 341–351
  - trace, 352
- computing problem, *see also* decision problem
  - is sorted, 348
  - multiple of 4, 348
  - unsolvable, 387
- Conan Doyle, 227
- concatenation, 344, 348
  - Kleene star, 345
  - language, 344
  - positive, 349
- conditional expectation, 283, 308
  - derandomize, 310
  - height, 284
  - lifespan
    - given age, 285
  - total expectation, 286
- conditional PDF, 274
- conditional probability
  - and flu symptoms, 227
- conditional probability, 227–245, 262
  - definition, 227
  - Monty Hall game, 229
  - pair of boys, 230
  - prosecutor’s fallacy, 241
  - Simpson’s paradox, 241
  - summary, 229
  - transposed conditional, 232
  - traps, 231
- conditional probability
  - definition, 236
- conditional variance, 325
- conflict
  - resolution, 169
- CONFUSED, 389
- conjecture, 21
  - Kelly, Ulam, 159
- conjunction, 28
- connected, 69, 157, 160
  - components, 170
  - strongly, 154
- coNP, 427
- constant rule, 116

- contention resolution, 259
- context free grammar, *see* CFG
- context free language, *see* context free grammar
- context sensitive grammar, 378
- continued fraction, 26, 99
  - simple, 100
- continuum, 334
  - and  $\mathbb{R}^2$ , 339
  - and irrational numbers, 339
  - cardinality, 335
  - uncountable, 335
- $\mathfrak{c}$ , continuum, 335
- continuum hypothesis, 336
- contradiction
  - principle of, 49
- contrapositive, 47
- convex hull, 162
- Cook, 420
- Cook-Levin Theorem, 420
- correspondence, 186
- counting
  - sequences, 209
- countable, 213, 329–334
  - algebraic numbers, 339
  - Cartesian product of countable sets, 338
  - finite binary strings, 333
  - finite set, 330
  - integers, 331
  - listing, 331–332
  - non-negative integers, 330
  - positive even numbers, 331
  - rationals, 333
  - recursive set, 340
  - union, 332
  - union of countable sets, 338
- counter, 396
- counter example, 46, 65
- counting, 181–213
  - and bank security, 192
  - arrangements of non-attacking castles, 193
  - balls in bins, 212
  - bijection, 186–188, 196–198
  - bijections, 191
  - build-up, *see* build-up counting
  - bulk pack, 181
  - by counting another set, 186
  - case-by-case
    - sum rule, 182
  - combinations, 189
  - combinatorial proofs, 195
  - committees, 183
  - compositions, 196
  - diagonally dominant paths, 193, 197
  - experiment outcomes, 183
  - genotypes and phenotypes, 192
  - goody-bags, 181, 199
  - graphs, 192, 212
  - inclusion-exclusion, *see* inclusion-exclusion
  - indistinguishable castle arrangements, 188
  - injections, 190
  - integer solutions
    - constrained, 204, 212
    - non-negative, 187
    - positive, 187
  - labeled trees, 198
  - license plates, 182, 190
  - matched parentheses, 197
  - menus, 182
  - min-cuts, 260
  - monotonic sequences, 193, 196
  - multiples, 209
  - multiplicity rule, 188
  - non-empty partitions, 193
  - numbers
    - digit sum, 212
  - onto functions, 204
  - parking functions, 198
  - passwords, 183
  - paths, 193, 210
  - perfect matchings, 198
  - permutations, 189
  - poker hands, 189, 192
  - product rule, 182
  - queen-king arrangements, 188
  - race outcomes, 182
  - rectangles, 196
  - rooted binary trees, 197
  - rooted labeled forests, 198
  - safe-key distribution, 194
  - seating arrangements, 196
  - sequences, 181–184, 199
    - binary, 181
    - with repetition, 199
  - social security numbers, 191
  - squares on a chessboard, 194
  - subsets, 183, 187
  - sum rule, 181
    - generalized, 190
  - surjections, 190
  - ternary strings, 190
  - Towers of Hanoi, 194
  - walks on grid, 197
  - within case
    - product rule, 182
- coupon collecting, 297
- covariance, 308
- craps, 235
- cryptography, 135–140
  - known plain text attack, 138
  - private key, 136, 139
  - public key, 138, 139
- cumulative distribution function, *see* CDF
- cut
  - maximum, 177

- cut-vertex, 159
- cycle, 149
  - Euler, 158
- cyclic shift, 54
  
- D'Alembert, 223
- d-PDA, 373, 379
- darts, 237
- dating
  - mathematics, 166
  - optimal, 277
  - ritual, 167
    - proposer wins, 168
- dating ritual, 173
- decidable, 386
  - $\mathcal{L}_{\text{ALL-DFA}}$ , 400
  - $\mathcal{L}_{\text{CFG}}$ ,  $\mathcal{L}_{\text{CFG-00}}$ , 400
  - $\mathcal{L}_{\text{DFA}}$ ,  $\mathcal{L}_{\text{DFA-00}}$ , 399
  - $\mathcal{L}_{\text{EMPTY-CFG}}$ , 400
  - $\mathcal{L}_{\text{EMPTY-DFA}}$ , 399
  - $\mathcal{L}_{\text{EQ-DFA}}$ , 400
  - $\mathcal{L}_{\text{FINITE-CFG}}$ , 400
  - $\mathcal{L}_{\text{FINITE-DFA}}$ , 400
  - CFL, 398
  - closure properties, 402
  - regular languages, 398
- decidable language
  - union, 390
- decision
  - versus search, 431
- decision problem, 341–351
  - \yesbox-set, 343
  - GRAPH-DISTANCE- $D$ , 343
  - and calculation, 350
  - and optimization, 342
  - and search, 350
  - coloring, 350
  - complexity, 346
  - independent set, 350
  - language, 343
- decision tree, 94
- decode
  - majority vote, 276
- Dedekind, 339
- definition, 48
- degree, 147
  - distribution, 148
  - histogram, 149
  - joint distribution, 278
  - maximum, 166
  - minimum, 166
  - sequence, 148, 157
  - weighted, 153, 158
- degree sequence, 156
- derandomize
  - 3-SAT, 310
  - conditional expectation, 309
  - independent set, 310
  - max-cut, 309
- derangement, 210, 301
  - build-up counting, 203
  - formula, 204
  - recursion, 203
- determinant, 100, 111
- deterministic finite automaton, *see also* DFA
- deviation  $\Delta$ , 312
  - expectation, 312
- deviation from the mean, 311
- Dewey, 232
- Dewey Defeats Truman, 232
- DFA, 347, 351–367
  - addition, 361
  - algebraic trace, 352
  - closure, 365
  - closure under regular operations, 357
  - complement, 354
  - concatenation, 355
  - convert to regular expression, 362
  - counting, 362
  - design, 352
  - equality, 362
  - external memory, 358
  - instruction set, 351
  - intersection, 354
  - isomorphism, 362
  - Kleene star, 355
  - language solved, 352
  - nodeterministic, 364
  - nondeterminism, 356
  - probabilistic, 362
  - pumping lemma, 366
  - regular expression, 357
  - regular language, 353
  - reversal, 364, 365
  - state
    - $\overline{\text{YES}}$  or  $\overline{\text{NO}}$ , 351
    - accept or reject, 351
  - state-diagram, 351
  - transducer, 362
  - two input tapes, 362
  - union, 354
  - vending machine, 353
- DFA-transducer, 361
- diagonalization, 335
- dice, 183, 215, 221, 223
  - non-transitive, 217
  - sum
    - PDF, 263
- dice fair, 268
- Die Hard, 134
- differencing operator, 112
- differentiation method, 128
- diffusion
  - Bernoulli, 306

- Dilworth's Theorem, 155, 161
- Dirac's Theorem, 176
- directed graph, 154, 161
  - and flow, 154
  - degree sums, 154
  - in-degree, 154
  - out-degree, 154
  - partial order, 154
- DIRECTED-HAM-PATH, 427
- Dirty Harry, 243
- discrete objects, 17–27
- discrete probability, 213
- disjoint, 271
- disjoint paths, 180
- disjunction, 28
- distinct representatives problem, 173
- distribution
  - Binomial, *see* Binomial distribution
- divides, 131
- dodecahedron
  - planar drawing, 176
- dollar bill
  - defective, 191
- dominating set, 170, 175
  - maximum degree  $\Delta$ , 176
  - positive degree graph, 176
  - viral marketing, 176
- domino, 158
- domino chain, 59
- DOM-SET, 427, 430
- double induction, 82
- Drake
  - equation, 246
- draughts, 431
- drunk
  - random walk, 225
  
- [EASY], 170
- EBOLA, 9
- edge, 147
  - asymmetric, 154
  - contraction, 259
  - crossing, 160
  - minimum number of, 156
  - probability, 214, 215, 233
    - multiply, 214, 233
  - subdivide, 161
  - weight, 152
- edges
  - maximum number of, 156
- efficiency, 405–415
- empty set, 17, 18
- encoding, 386
- encryption, 136
- Enigma machine, 138, 327
- enumerator
  - and decidable language, 398
  - and recognizable language, 398
- epidemics, 9
  - 2-contact model, 10
- equivalence, 47
- Erasothenes, 143
- Erdős, 131
- Erdős, 146, 159, 260
- Erdős, 131
- estimate, 125
- ethane, 94
- Euclid's algorithm, 132, 136, 141
  - Extended, 142
- Euclid's Lemma, 85, 135
- Euler, 129, 152, 153, 166
  - product, 146
- Euler cycle, 158, 170
- Euler path, 158
- Euler's Invariant, 152, 160
- Euler's totient function, 204
- Euler's totient function  $\phi$ , 145
- Euler-Macheroni constant
  - irrational, 146
- Euler-Mascheroni constant, 122
- EULER-PATH, 411
- even numbers  $E$ , 18
- event, 215, 216, 219, 223
  - combine
    - logical connectors, 219
  - independent, 245–261
  - probability, 215–217, 262
  - probabiltiy, 219
- evidence, 416
- exact 3-SAT, 431
- excluded middle, *see* law of the excluded middle
- EXCLUSIVE-OR, 225
- $E[\cdot]$ , 280
- expectation, *see* expected value
  - iterated, 297
- expected value, 279–288
  - absolute deviation, 322
  - Bernoulli, 281
  - Binomial, 282, 296
  - conditional, 283, 308
  - definition, 280
  - derangements, 301
  - different types of coins, 286
  - exponential, 282
  - exponentiation, 308
  - from CDF, 291
  - from sample space, 280
  - height, 283
  - joint PDF, 292
  - linearity, 295
    - infinite sum, 309
  - product, 299–300
    - independent, 300
  - properties, 291

- record breaking, 302
- sum, 295
- sum of dice, 280
- total expectation, 286
- two coin tosses, 280
- uniform, 281
- vs. typical value, 289
- waiting time, 282, 287, 296
- experiment, 223
  - outcome
    - uncertain, 213
    - repeatable, 213
    - uncertain, 214
- exponential, 5
- exponential time
  - 2-player games, 431
- expression tree, 94
- Extended Euclid Algorithm, 142
  
- face
  - of planar graph, 152
  - of polyhedron, 152
  - polygonal, 160
- facility location, 170
- FACTOR, 427
- factorial
  - integration bound, 122, 123
- factorial power, 195
- factoring, 431
  - polynomial with unary input, 413
- failure probability, 257
- fair toss
  - from biased coin, 242
- fast algorithm, 408
  - equals polynomial algorithm, 408
- Fermat, 55, 213
  - last theorem, 55
- Fermat's Little Theorem, 69, 138, 140, 145
  - counting proof, 198
  - Euler's Extension, 145
- Fermi
  - method, 246
- Fibonacci, 91
  - ancestry tree of bees, 110
  - sequence, 97
    - consecutive products, 97
    - gcd, 97
    - sums, 97
  - tiling, 102
- Fibonacci number, *see* Fibonacci sequence, 129, 132, 141
- fibonacci number
  - generating function, 113
- Fibonacci sequence, 91, 111, 125
  - bounds, 92
  - build-up counting, 185
  - Sanskrit poetry, 91
- file compression
  - lossless, 211
- FIND-MINIMUM, 411
- finite automaton, *see also* DFA
- finite binary strings
  - countable, 333
- finite state machine, *see also* DFA
- fishy, 23, 49–50
- 5-color theorem, 175
- fixed point theorem
  - Brouwer, 162
- flow, 154
- Floyd, 106
- FOCS twin, 248, 257
- Ford-Fulkerson algorithm, 180
- forest, 111
- Four-Color Theorem, 152
- 4-color theorem, 160
- free movie ticket problem, 257
- FREQ-ITEMS, 426
- frequency, 214, 228
- frequent items, 415
- friends paradox, 157
- friendship network, 10
- function
  - onto, 204
- Fundamental Theorem of Arithmetic, 77, 85, 135
  - strong induction, 77
  
- Gale-Shapely, 174
  - theorem, 167
- Gallup, 232
- Gallup poll, 232, 325
- Galton's paradox, 223, 236
- gambler's ruin, 252–254
  - expected time, 292
- gambling
  - craps, 235
- game
  - guess higher or lower, 268, 275
  - matching, 268
- game theory, 294
- game tree, 94
- Garey, 426, 429
- Gauss, 60, 136, 145
- GCD, *see also*  $\gcd(\cdot, \cdot)$ , 132–134, 141, 143
  - Bezout's identity, 133
  - Euclid's algorithm, 132
- facts, 133
  - positive linear combination, 132, 133
  - proofs, 132
  - relatively prime, 132, 134
- generating function
  - constrained integer solutions, 212
  - digit sum, 212
  - for solving recurrences, 112, 113
  - gambler's ruin, 258
- genetics, 192, 240, 294



- geometric distribution, 270
- geometric mean, 84
- geometric series, 58, 62
- geometric sum
  - from differentiation, 128
  - integration bound, 123
- gift exchange, 224
- Ginsburg, 377
- Ginsburg-Rice Theorem, 377
- GM, *see* geometric mean
- go, 431
- Gödel, 392
- Gödel, 336
- Goldbach
  - conjecture, 146
- Goldberg, iv
- Google™, iv
- gossip, 225, 240
- graceful labeling, 162
- graceful tree conjecture, 162
- Graham, iv
- Graham-Cumming, 327
- grammar, 367–379
- graph, 19–20, 147–181
  - acyclic, 174
  - affiliation, 20
  - bipartite, *see* bipartite graph
    - chromatic number, 170
  - card, 159
  - coloring, *see* coloring
    - induction, 170
  - complement, *see* complement graph
  - configuration, 161
  - conflict, 20
  - connected, *see* connected graph, 174
  - counting, 192
  - deck, 159
  - degree, 147
  - DFA, 351
  - diameter, 158
  - directed, *see* directed graph
  - edge, 147
  - facts, 158
  - game
    - path, 173
  - hypercube, 158
  - interval, *see* interval graph
  - isomorphism, 147
  - line, *see* line graph
  - loop, 152
  - multigraph, *see* multigraph
  - parallel edge, 152
  - path, 147
  - Petersen, *see* Petersen graph
  - planar, *see* planar graph
  - polyhedron, 160
  - positive degree, 176
  - problem solving, 155, 161, 179
  - problems, 170, 175
    - CLIQUE, 175
    - DOMINATINGSET, 175
    - INDEPENDENTSET, 175
    - VERTEXCOVER, 175
  - random, 275, 278
  - regular, *see* regular graph
  - relabeling, 147
  - representation, 148
  - residual, *see* residual graph
  - simple, undirected, 152
  - special
    - complete  $K_n$ , 149
    - complete bipartite  $K_{n,\ell}$ , 149
    - cycle  $C_n$ , 149
    - path  $L_n$ , 149
    - star  $S_{n+1}$ , 149
    - wheel  $W_{n+1}$ , 149
  - strong induction, 165
  - subdivision, 161
    - Kuratowski, 161
  - two vertices of same degree, 205
  - vertex, 147
  - vertices of the same degree, 158
  - weighted, *see* weighted graph
- graph theory, 147–181
- graphical sequence, 157
- greatest common divisor, *see* GCD
- greedy
  - $k$ -center, 179
  - coloring, 169
- Greedy coloring, 174
- greedy matching, 173
- Greeks, 132
- grid, 9
- Grimmett, iv
- growth rate, 119
  - cubic, 120
  - exponential, 120
  - factorial, 120
  - linear, 119, 120
  - log, 120
  - loglinear, 120
  - nested sum, 120
  - polynomial, 120
  - quadratic, 120
  - rules, 121
  - superlinear, 120
  - transitive, 121
- Hadamard matrix, 112
- Haldane, 294
- Hall's condition, 165
  - stronger condition, 166
- Hall's Theorem, 165, 172
  - corollary, 166

- König-Egerváry Theorem, 178
- $\mathcal{L}_{\text{HALT}}$ , 394
- HALTING PROBLEM, 389, 394
- halting state, 379
- HAM-CYCLE, 428
- HAM-PATH, 428
- Hamilton, 176
- Hamiltonian cycle, 170, 175
  - Dirac's Theorem, 176
  - Ore's Theorem, 176
- Hamiltonian path
  - tournament, 175
- HAMILTONIAN-PATH, 411
- HAMILTONIAN-VERIFY, 414
- Handshaking Theorem, 150
  - Sperner's Lemma, 162
- [HARD], 170
- hard problems, 16
- Hardy, 131
- harmonic mean, 84
- Harmonic number, 67, 122, 125
  - integration bound, 122
  - sum of, 128
- hash
  - collision, 251
  - probability, 252
  - function, 251
- hashing, 250
- Havel-Hakimi, 157
- height(), 108, 110
- Hello World, 389, 396
- Helly's Theorem, 68
- Hempel's Paradox, 42
- Hidden Markov Model, *see* HMM
- Hilbert, 392
  - 10th problem, 398
- Hilbert, David, 329
- Hipassus, 23
- Hitler, 138
- hitting time, 278
  - expected, 292
- HM, *see* harmonic mean
- HMM, 362
- Hoeffding, 320
- Hoeffding Bound, 320
- Hoeffding bound, 326
- Hoeffding Inequality, 326
- Hopcroft, iv
- horse racing, 290
- HTML, 373
- hydrocarbons, 94
- hypercube, 158
  - proving, 32
- image segmentation, 180
- implication, 28–30
  - proving, 32
- IMPLIES, 30
- in-degree, 154
- inapproximability, 430
- inclusion-exclusion, 201, 209
  - constrained integer solutions, 204
  - counting multiples, 203
  - counting onto functions, 204
  - counting paths, 210
  - counting valid permutations, 204
  - derangement formula, 204
  - digit-sum, 209
  - Euler's totient function, 204
  - formula, 202
  - hat-check, 203
  - proof, 202
- independence, 245–261
  - coin tosses, 245
  - definition, 246
  - eye color, 245
  - many events, 247
  - sex, 245
  - weather, 245
- independent set, 175, 350
  - coloring, 176
  - interval graph, 178
  - probabilistic method, 310
  - Turán's bound, 177
  - vertex cover, 176
- index of summation, 116
- indicator
  - sum of, 301–303
- IND-SET, 425
- IND-SET, 423, 427
- induced subgraph, 159
- induction, 57–87
  - and domino chain, 59
  - and well ordering, 65
  - and well-ordering, 340
  - backward, 81, 84
  - bad, 61, 66
  - Binomial Theorem, 194
  - checklist, 80
  - climbing a ladder, 80
  - double, 82
  - leaping, 76
  - local minimum, 84
  - on graphs, 150
  - ordinary, 57–73
  - ordinary vs. strong, 78
  - planar graph is 6-colorable, 170
  - predicate, 58
  - principle of, 58
  - proof using well ordering, 65

- strong, 72, 77–80
    - Hall’s Theorem, 165
    - template, 78
  - stronger claim, 73
  - structural, *see* structural induction
  - structural induction on  $\mathbb{N}$ , 105
  - sum of integer powers, 60
  - summary table, 81
  - template, 60
  - wrong, 63
- induction step, 59
- inequality
- AM-HM, 177
  - Bernoulli’s, 66
  - Boole’s, 220
  - Chebyshev, 318
  - Markov, 318
- infinite
- binary expansion, 335
  - binary string, 336
- infinite binary strings
- $B_\infty$ , 334
  - uncountable, 334
- infinite loop, 385
- infinite probability space, 221
- infinite series
- accelerate, 129
- infinite string
- eventually constant, 339
  - eventually zero, 335
- Infinity, 329–341
- algebra, 339
  - and computing, 336
- information, 404
- injection, 190, 329, 337
- instruction set, 351
- integer programming, 431
- integers, 17
- integral, 122
- integration method, 121–128, 131
- and recurrences, 123
  - factorial, 122, 123
  - geometric sums, 123
  - Harmonic number, 122
  - Stirling’s formula, 122
  - sum of integer powers, 122
- interfere, 168
- internet service provider, 153
- internet startup
- 1-minute user, 126
- intersection
- CFL and regular language, 377
- interval graph, 178, 430
- interviewing problem, 277
- INT-PROGRAM, 431
- inverse, 51
- modular, 137
- invertible, 329
- irrational
- $\sqrt{2}$ , 23
  - $\sqrt{3}$ , 26
- IS-SORTER, 427
- iso-butane, 94
- isomorphic, 156
- ISOMORPHIC, 417
- isomorphism, 147, 159
- invariant, 148
- ISP, 153
- IS-PRIME, 417
- iterated expectation, 297–298
- iterated variance, 325
- James, 115
- Jensen’s inequality, 85, 309
- Johnson, 426, 429
- joint probability, 233
- joint probability distribution, *see* joint-PDF
- joint-PDF, 274
- marginal, 265
  - table, 264
- Josephus
- permutation, 102
- Josephus problem, 42, 71, 102
- jugs puzzle, 134, 142
- $\mathcal{K}$ , 404
- $K$ -center, 170
- $k$ -center
- greedy, 179
- $k$ -dominated, 260
- $k$ -SAT, 427
- König-Egerváry Theorem, 178
- Königsberg, 153
- map, 153
- Kaliningrad, 153
- Karp, 426
- Kelly, 159
- key
- private, 136
- King Bruce and the spider, 283
- Kleene star, 345, 348, 355, 363
- unary, 350
  - vs. wildcard symbol, 348
- Kleinberg, iv
- KNAPSACK, 430
- 2-approximation, 430
- knight, 158, 161
- Knuth, iv
- Kolmogorov, 213
- Kolmogorov complexity,  $\mathcal{K}$ , 404
- Kotzig, 162
- Kraft inequality, 111
- Kuratowski’s Theorem, 161
- $\mathcal{L}^+$ , 349

- L*-tile land, 74, 83  
 LAME, 233  
 LAN, 271  
 language, 341–351
  - $\mathcal{L}_{\text{bal}}$ , 344
  - $\mathcal{L}_{\text{even-pal}}$ , 344
  - $\mathcal{L}_{\text{mult}}$ , 382
  - $\mathcal{L}_{\text{punc-pal}}$ , 373
  - $\mathcal{L}(M)$ , 352
  - $\mathcal{L}_{\text{ALL-CFG}}$ , 399
  - $\mathcal{L}_{\text{ALL-DFA}}$ , 399
  - $\mathcal{L}_{\text{ALL-TM}}$ , 399
  - $\mathcal{L}_{\text{CFG}}$ , 399
  - $\mathcal{L}_{\text{DFA}}$ , 399
  - $\mathcal{L}_{\text{TM-DECIDER}}$ , 403
  - $\mathcal{L}_{\text{EMPTY-CFG}}$ , 399
  - $\mathcal{L}_{\text{EMPTY-DFA}}$ , 399
  - $\mathcal{L}_{\text{EMPTY-TM}}$ , 399
  - $\mathcal{L}_{\text{EQ-CFG}}$ , 399
  - $\mathcal{L}_{\text{EQ-DFA}}$ , 399
  - $\mathcal{L}_{\text{EQ-TM}}$ , 399
  - $\mathcal{L}_{\text{FINITE-CFG}}$ , 399
  - $\mathcal{L}_{\text{FINITE-DFA}}$ , 399
  - $\mathcal{L}_{\text{FINITE-TM}}$ , 399
  - $\mathcal{L}_{\text{EXP}}$ , 411
  - $\mathcal{L}_{\text{TM-LB}}$ , 403
  - $\mathcal{L}_{\text{TM}}$ , 391
  - $\mathcal{L}_{\text{CFG-00}}$ , 399
  - $\mathcal{L}_{\text{DFA-00}}$ , 399
  - $\mathcal{L}_{\text{TM-00}}$ , 399
  - $\mathcal{L}_{(01)^n}$ , 344, 350, 367
  - $\mathcal{L}_{0^n 1^n}$ , 344, 350
  - $\mathcal{L}_{\text{palindrome}}$ , 349, 350
  - $\mathcal{L}_{\text{repeated}}$ , 344, 350
  - $\mathcal{L}_{\text{unary}}$ , 344
  - $\mathcal{L}_{\text{door}}$ , 342, 344
  - $\mathcal{L}_{\text{HALT}}$ , 394
  - $\mathcal{L}_{\text{pal}}$ , 344, 345
  - $\mathcal{L}_{\text{prime}}$ , 341, 344
  - $\mathcal{L}_{\text{push}}$ , 341, 344, 346–348
  - $\mathcal{L}_{\text{TM-reject}}$ , 399
  - addition, 361
  - as a distinguisher, 366
  - concatenation, 344
  - decidable, 386
    - union, 390
  - equality, 357
  - finite description, 350
  - Kleene star, 345
  - non-recognizable, 397
  - non-regular, 357
  - not context free, 374
  - punctuation, 366
  - recognizable, 385
  - recursive, 345
  - reversal, 349, 364–366
  - unary, 413
    - Kleene star, 363
    - uncountable union, 348
    - uncountably many, 350, 387
- $\mathcal{L}(M)$ , 352–367  
 LARGE-SUM, 416  
 LARGE-SUM, 427  
 last digit
  - of  $3^n$ , 136
 Latin square, 166  
 law of large numbers, 317
  - strong, 319
  - weak, 319
 law of the excluded middle, 23, 27  
 law of total expectation, 286  
 law of total probability, 233–235, 243  
 law of total variance, 325  
 LCM, 143  
 leaf, 110  
 leaping induction, 76
  - postage, 77
  - template, 76
 least common multiple, 143  
 least-absolute-error, 292  
 least-squares, 292  
 left-matching, 165  
 left-vertex, 165  
 Lehman, iv  
 Leighton, iv  
 lemma, 73  
 Let's Make A Deal, 215  
 Levin, 420  
 Lewis, iv  
*Liber Abaci*, 91  
 lie-detector, 241  
 lifespan
  - given age, 285
 line graph, 177
  - properties, 177
 linear growth rate, 119  
 linearity of expectation, 295  
 little-oh, 119–121  
 little-omega, 119–121  
 Littlewood, 131  
 local minimum, 84  
 logarithm
  - ln, 5
 logical connector, 28–32
  - rules, 31
    - associative, 31
    - commutative, 31
    - distributive, 31
    - implication, 31
    - negation, 31
 Lombard, 232  
 lottery, 290  
 Lovász, iv  
 $\mathcal{L}_{\text{TM}}$ , 391

- undecidable, 392–393
- Lubell-Yamamoto-Meshalkin inequality, 195, 260
- machine instruction, 346
- machine-code, 379
- majority adoption, 13
- MAKE-CHANGE, 411, 414
- making change
  - greedy algorithm, 81
- Manhattan, 239
- map
  - 4-color theorem, 160
  - color, 152
- mapping reduction, 402
  - prove non-recognizable, 403
- marginal, 233
- marginal PDF, 265
- Marilyn Mach, 215
- Marilyn vos Savant, 215
- mark and recapture, 278
- Markov Inequality, 318
- Markov inequality, 291
- markup language, 372
- marriage, 166
- MATCH, 411
- matched parentheses, 93, 103–105, 109
- matching, 163–181
  - augmenting path, 172
  - bipartite graph, 164
  - complete graph, 173
  - covers, 165
  - greedy, 173
  - jobs on servers, 173
  - maximal, 172
  - maximum, 172
  - network flow, 180
  - perfect, 172
  - residents to hospitals, 174
  - saturates, 165
  - stable, 167
  - students into courses, 173
  - students to camps, 173
  - vertex cover, 177
  - with capacities, 173
- matching game, 268
- mathematical expectation, *see* expected value
- mathematical induction, *see* induction
- mathematics of dating, 166
- matrix, 111
  - doubly stochastic, 173
  - Hadamard, 112
  - multiplication, 112
  - permutation, 173
- max-cut
  - probabilistic method, 309
- MAX-FLOW, 411
- maximal
  - independent set, 176
  - matching, 172
- maximum
  - cut, 177
  - flow, 170
  - independent set, 176
  - matching, 172
- maximum clique, 431
- maximum independent set, 431
- maximum substring sum, 115
  - algorithms, 129–130
- measurement, 261
- median, 292
- medical testing, 233
- meiosis, 240
- memory
  - external, 358
- Menger’s Theorem, 159
- Mersenne prime, 145, 146
- methane, 94
- method of differences, 62
- metric
  - $k$ -center, 179
- Meyer, iv
- min-cut, 259
  - counting, 260
- minimum
  - dominating set, 176
  - number of colors, 176
  - number of pours, 161
  - stretch, 177
  - vertex cover
    - bipartite graph, 178
- model
  - computing, 11, 379
  - epidemics, 9
- modular arithmetic, 135–140, 143–144
  - exponentiation, 139
  - multiplicative inverse, 137, 139
- modular equivalence, 136
  - properties, 136
- modular inverse, 137, *see* multiplicative inverse
- modulus, 137
  - prime, 137
- moment generating function, 291
- monochromatic, 260
- monotonic, 121
- monotonically decreasing, 122
- monotonically increasing, 122
- Monte Carlo, 279, 281
  - estimate variance, 325
  - failure, 325
- Monte-Carlo, 217, 218, 222, 223, 226, 257, 273
- Monty Hall, 215, 219, 229, 238
- Moore’s law, 125
- mortgage, 98
- Motwani, iv

- multi-processor tree, 94
- multigraph, 152, 153, 156
  - Handshaking Theorem, 152
- multinomial, 200
  - coefficient, 200, 210
- Multinomial distribution, 277
- Multinomial Theorem, 200
- multiparty computation, 272
- multiplicative inverse, 137, 139
- Myhill-Nerode Theorem, 366
  
- Nash, 294
- National Resident Matching Program, 174
- natural numbers, 17
- Nautilus shell, 102
  - $\binom{n}{k_1, k_2, \dots, k_r}$  formula, 199
- negation, 28
- neighbor, 148
- neighborhood, 165
- nested sum rule, 117–118
- nett worth versus GDP, 13
- network
  - collaboration, 149
  - real world
    - degree histogram, 149
    - road, 149
    - world-wide-web, 149
- network flow, 170
  - bipartite matching, 170
  - Ford-Fulkerson algorithm, 180
  - maximum matching, 180
- new information, 227
- Nim, 79, 84
- $\overline{\text{NO}}$ -state, 351
- node, *see also* vertex
- noisy channel, 257, 276
- non-computable, 336
  - Busy Beaver, 404
  - Kolmogorov complexity, 404
- non-constructive proof, 205
- non-identical trials, 278
- non-polynomial, 411
- non-recognizable, 397
  - $\mathcal{L}_{\text{TM-DECIDER}}$ , 403
  - $\mathcal{L}_{\text{EMPTY-TM}}$ , 402
  - $\mathcal{L}_{\text{EQ-TM}}$  and  $\overline{\mathcal{L}_{\text{EQ-TM}}}$ , 402
- non-regular language, 357, 365
  - $\mathcal{L}_{\text{balanced}}$ , 358
  - $\mathcal{L}_{0^n 1^n}$ , 357
  - addition, 361
  - palindromes, 365
- nondeterminism, 356, 364
  - and complement, 364
  - PDA, 366
- nondeterministic polynomial, 415–433
- NOT/ $\neg$ , 28
  
- NP, 415–433
  - 3-SAT, 424
  - CIRCUIT-SAT, 420
  - CLIQUE, 417
  - COLORING, 418
  - IND-SET, 425
  - PARTITION, 416
  - nondeterminism, 418
- NP-complete, 415–433
  - 3-COLORING, 430
  - 3-SAT, 424
  - BALANCED-BIPARTITE-CLIQUE, 429
  - BIG-CLIQUE, 426
  - BIN-PACKING, 430
  - BOUNDED- $k$ , 428
  - CIRCUIT-SAT, 420
  - CLIQUE, 425
  - DOM-SET, 430
  - FREQ-ITEMS, 426
  - IND-SET, 425
  - KNAPSACK, 430
  - PARTITION, 429
  - SUBSET-SUM, 429
  - VERTEX-COVER, 425
  - X3-SAT, 431
  - coping with it, 426
  - integer programming, 431
- $\mathbb{N}_{\text{STRONG}}$ , 105
- number
  - algebraic, 339
  - transcendental, 339
- number theory, 131–147
  - open problems, 146
- NY-Yankees, 239
  
- $o(\cdot)$ , 119
- octohedron, 160
- odd numbers  $O$ , 18
- odds, 215
- $O(\cdot)$ , 119–406
- $\omega(\cdot)$ , 119
- $\Omega(\cdot)$ , 119
- one-to-one, *see* 1-to-1
- 1-to-1, 186, 329, 337
- ONLY IF, 30
- onto, 186, 329, 337
- operator
  - differencing, 112
- OR/ $\vee$ , 28
- order analysis, *see also* growth rate, 119–121
  - polynomial, 120
- order notation, *see* order analysis, 406
- ordering, *see also* permutation
- Ore’s Theorem, 176
- ork, 103
- out-degree, 154
- outcome

- complex, 219
  - partial, 214
  - possible, 214
  - probability, 214–219, 233, 262
    - non uniform, 218
  - subset, 215
  - tree, 214, 217, 233
    - infinite, 235
  - uncertain, 213, 214
- P, 405–415
  - 2-COLORING, 430
  - 2-SAT, 429
- $P(\cdot)$  (outcome probability), 218
- $P = NP$ , 415–433
- $\mathbb{P}[\cdot]$  (event probability), 219
- packet transmission, 224
- palindrome, 93, 106, 109
  - recursive definition, 106
- Palmer, 283
- Papadimitriou, iv
- paradox
  - barber, 337
  - birthday, *see* birthday paradox
  - friends, 157
  - Galton, 223, 236
  - Russell's, 340
  - Simpson's, 241
  - St. Petersburg, 307
  - switching, 294
- parity, 13
- parity invariant, 15
- parking function, 198
- parse tree, 94, 371
- partial fraction, 6
- partial order, 154–155, 161
  - antichain, 154
  - chain
    - maximum, 154
- partition, 243
  - vertices, 158
- PARTITION, 416, 429
- partners, 163
  - average number of, 164
  - total number of, 164
- Pascal, 100, 213
- Pascal's Identity, 184, 194
- Pascal's Triangle, 184
- password
  - random, 291
- Patashnik, iv
- path, 147
  - augmenting, 172
  - disjoint, 180
  - Euler, 158
  - number of, 158
  - shortest, 147, 159, 271
  - simple, 147
  - stretch, 177
- PATH, 427
- PATH, 411, 414
- PATH-DIR, 427
- PCP, 395, 401
  - recognizable, 401
- PDA, 358–359, 373
  - instruction, 359
  - nondeterministic, 366, 374
- PDF, 262–266
  - $n$  dice, 324
  - build-up, 324
  - conditional, 274
  - definition, 263
  - dice, 263
  - from CDF, 267, 272
  - joint, 264
  - normalization, 271
  - normalized, 271
  - number of successes, 277
  - plot, 263
    - Binomial, 270
    - uniform, 270
    - waiting time, 270
  - Poisson, 278
  - random walk, 276
  - sum
    - biased die, 272
    - waiting time, 272
  - sum to 1, 271
  - uniform
    - sum, 272
    - waiting time, 270
- Pelikán, iv
- perfect matching, 172
- perfect number, 131, 146
  - even, 145
- permutation
  - random, 225
  - superpermutation, 197
- permutation matrix, 173
- permutations, 188
  - boys and girls, round table, 198
  - count, 189
  - of words
    - $\binom{n}{k_1, \dots, k_r}$ , 199
    - repetition, 199
- Petersen graph, 176
  - 3-coloring, 176
  - Euler path, 176
  - Hamiltonian path, 176
  - no Hamiltonian cycle, 176
  - not bipartite, 176
- Pick's Theorem, 71
- pigeonhole principle, 204
  - applications, 211



- born on same day, 207
- congruence (mod  $k$ ), 207
- generalization, 211
- head-hair, 207
- increasing subsequence, 207
- models of computing, 205
- non-constructive proof, 205
- prove language non-regular, 358
- social twin, 205
- subset sum, 206, 211
- plain text attack, 144
- planar
  - subgraph, 160
- planar graph, 151, 160
  - 5-color theorem, 175
  - 6-color theorem, 170
  - and polyhedra, 152
  - bound on edges, 152, 170
  - coloring, 170
    - induction, 170
  - external face, 152
  - integrated circuit design, 151
  - internal face, 152
  - map coloring, 152
- Poisson
  - variance, 321
- Poisson distribution, 278
- Poisson-Binomial, 296
- Poisson-Binomial distribution, 278
- pokemon, 210
- poker hand, 240
- poker hands, 189, 209, 221, 224
- Polya, iv
- Polya's mouse, 8
- polyhedron, 160
  - face, 152
  - regular, 152
- polynomial, 405–433
  - $\mathcal{L}_{\text{EXP}}$ , 411
  - and input format, 413
  - order, 120
- polynomially verifiable
  - nondeterministic Turing Machine, 419
- positive predictive value, 240
- Post's Correspondence Problem, *see also* PCP
- postage, 57, 68, 77
- power set, 19, 335–336
  - cardinality, 339
- PPV, 240
- Prüfer code, 198
- predator-prey game, 294
- predicate, 33, 58
- preference list, 166
- preferences, 166
- Pregel (river), 153
- Prim's algorithm, 178
- prime
  - infinitely many
    - $3n + 2$ , 144
    - $4n - 1$ , 144
  - prime number, 77, 131
    - Euclid's Lemma, 135
    - factorization, 135
      - hard, 136, 139
    - Fundamental Theorem of Arithmetic, 135
    - generating, 143
    - infinitely many, 132
    - Mersenne, 145
    - modulus, 137
    - sieve of Eratosthenes, 143
- Primetime Live, 163
- principle of restricted choice, 241
- probabilistic method, 260, 309
  - 3-SAT, 310
  - independent set, 310
  - max-cut, 309
  - Ramsey numbers, 309
- probability, 213–218, 327
  - EXCLUSIVE-OR, 225
  - and sets, 218
  - Bayes' Theorem, *see* Bayes' Theorem
  - build-up, 243
  - complement, 220
  - computing
    - outcome-tree method, 215, 218
    - six steps, 214
    - summary, 215
  - conditional, *see* conditional probability
  - cumulative, 266
  - device failure, 276
  - discrete, 213
  - edge, *see* edge probability
  - equal, 214
  - event, *see* event
  - failure, 257
  - frequency interpretation, 214
  - genetics, 275
  - implication bound, 220
  - inclusion-exclusion, 220, 226
  - intersection event, 220
  - joint, 233
  - law of total probability, 233–235, 243
  - meaning, 213
  - mechanical, 213
  - of outcome, *see* outcome probability
  - path, 224
  - picking balls, 226
  - sampling bias, 232
  - space, 219, 263, 271
    - uniform, 217
  - sum rule, 220, 234
  - survival, 242
  - union bound, 220
  - union event, 220



- probability distribution function, *see* PDF
- probability function, 218
- probability space, 223, 225, 229
  - infinite, 221
  - uniform, 220
- product
  - $\prod$ , 5
  - and sums, 127
  - consecutive natural numbers, 195
  - empty, 6
  - expected value, 299
- product-state, 355
- production rule, 367
- profligatic, 224
- program
  - translation, 398
- program verification
  - undecidable, 396
- proof, 11, 21–24, 43–57
  - bad, 52
  - Binomial Theorem, 194
  - by contradiction, 23, 49–50
    - template, 49
  - by contraposition, 47
    - template, 47
  - by Venn diagram, 50
  - combinatorial, 195
  - equivalence, 48
  - for all, 45–46, 57–87
    - by well ordering, 65
    - template, 45
  - GCD, 132
  - IF AND ONLY IF, 48
    - template, 48
  - implication
    - direct proof, 43–46
    - direct proof template, 44
    - direct with contradiction, 50
    - disproving, 46
  - induction, 57–87
  - leaping induction, 76
  - non-constructive, 205
  - of RSA, 140
  - picking a template, 50
  - pigeonhole principle, 204
  - readable, 44
  - recursive objects, 103–115
  - sets, 50
  - seven “C’s”, 52
  - strong induction, 78
  - structural induction, 104
  - three steps, 24
- propane, 94
- proposition, 27–43
  - compound, 28–32
    - derivation, 31
    - equivalence, 30
    - quantified, 32
  - prosecutor’s fallacy, 241
  - pseudocode, 379
  - public key cryptography, 138
  - pumping lemma, 366
    - context free, 378
  - punctuation, 341, 366
  - pushdown automata, 373
  - pushdown automaton
    - seealsoPDA, 358
  - puzzle
    - bipartite graph
      - birthday, 173
    - canibals and pacifists, 161
    - cover chessboard with queens, 161
    - domino, 11
    - jugs, 134, 142
    - Sudoku, 174
    - voyage around the world, 176
  - puzzles, 13
    - 2-contact ebola, 14
    - $3n+1$ , 16
    - break chocolate, 13
    - break the links, 14
    - bridge crossing, 14
    - camel and bananas, 14
    - catch the thief, 16
    - chameleon, 14
    - chomp, 14
    - coins in a line, 15
    - comparison scale, 15
    - connection, 8
    - egg-drop, 14, 100
    - elimination tournament, 13
    - fastest horses, 15
    - find the good processor, 15
    - fly around the world, 15
    - fox, chicken and corn, 14
    - guess the number, 15
    - matching subset sums, 16
    - Monty Hall, 215
    - pardon the prisoners, 15
    - pirates, 13
    - poisoned wine, 15
    - quarters game, 13
    - replacing cards, 15
    - sliding tiles, 85
    - tiling, 14
    - trucks delivering payload, 14
    - with dominos, 14
  - Pythagoras, 60
  - Pythagorean Theorem, 145
  - Pythagorean Triple, 145
  - primitive, 145
- Q
  - countable, 338

- quantifier, 32–43
  - ALL/ $\forall$ , 33
  - combining with connectors, 34
  - existential, 34
  - EXISTS/ $\exists$ , 34
  - mixing, 35
  - negation, 35
  - proofs, 36
  - universal, 34
- Quicksort
  - expected runtime, 288
- quine, 401
- quotient, 131
- quotient remainder theorem, 26, 71, 131, 141
- Quotient-remainder Theorem, 86
  
- Rademacher, Paley & Zygmund, 258
- Radhakrishnan, 260
- radio frequencies, 168
  - assignment, 179
- radix, 413
- Radó, 404
- RAM, 375, 379
- Ramanujan, 131
- Ramsey Number
  - lower bound, 309
- Ramsey number, 159
- Ramsey numbers, 26
- random, 214, 215
  - binary sequence, 257
- random graph, 278
- random variable, 261–279
  - Bernoulli, 267
    - sum, 267
  - binary, 267
  - Binomial
    - random walk, 276
  - conditional probability, 262
  - event, 262
    - independent, 274
    - probability, 262
  - function of, 274
  - independent, 265, 271
  - indicator, 261, 265–267, 271
  - probability of matching, 275
  - transformation, 274
  - uniform, *see also* uniform random variable
    - sum, 272
- random walk, 252–254, 278
  - expected hitting time, 292
  - PDF, 276
  - variable step size, 324
- randomization device, 214
- randomized algorithm, 243–259
- randomness of a string, 404
- rational numbers, 18
  - countable, 338
- RBT, *see also* tree, 94, 107, 108, 110
  - coloring, 170
  - counting, 114
- read-write head, 379
- real numbers, 17
  - uncountable, 334
- recognizable, 385
  - $\mathcal{L}_{\text{EQ-CFG}}$ , 400
  - $\mathcal{L}_{\text{TM}}$ , 391
  - closure properties, 402
  - PCP, 401
- record breaking, 302, 307
- recurrence, 91–92, 116
  - $k$ th order linear, 97
  - analysis with linear algebra, 99
  - exponential sequence, 97
  - gambler’s ruin, 253, 258
  - generating function, 95, 112
  - integration bound, 123
  - linear, 95, 97
  - unfold, 123
- recursion, 87–103
  - Akra-Bazzi formula, 98
  - asymptotic analysis, 126
  - Catalan, 100
  - CFG, 367
  - change of variable, 112
  - checklist, 92
  - computing determinants, 100
  - derangement, 203
  - for  $\binom{n}{k}$ , 184
  - on trees, 108
  - Pascal’s recursion, 100
  - proof, 103–115
  - proof of correctness, 89
  - Towers of Hanoi, 101
  - unfolding, 89
  - vs. induction, 88
- recursive, 87, 116
  - $\mathcal{L}_{\text{pal}}$ , 345
  - definition
    - multiples of 3, 110
  - function, 88
  - program, 92
    - correctness, 92
    - runtime recurrence, 92
- RBT coloring, 170
- set, 93
  - $\mathbb{N}$ , 93
  - $\Sigma^*$ , 93
  - basis, 93
  - binary strings, 93
  - constructor, 93
  - defining, 93
  - matched parentheses, 93, 103–105
  - minimality, 93
  - palindromes, 93

- powers of 3, 93
- structures
  - derivation, 95
  - rooted binary tree, 94
  - rooted full binary tree, 95
  - trees, 94
  - tree, 160
- recursive case, 88
- recursive progress, 88
- reductio ad absurdum*, 23, 49–50
- reduction, 393–395, 402
  - 3-SAT to 3-COLORING, 430
  - 3-SAT to IND-SET, 425
  - 3-SAT to SUBSET-SUM, 429
  - 3-SAT to integer programming, 431
  - 3-SAT to solitaire, 431
  - CIRCUIT-SAT to 3-SAT, 424
  - CLIQUE to BIG-CLIQUE, 426
  - CLIQUE to CIRCUIT-SAT, 421
  - CLIQUE to FREQ-ITEMS, 426
  - COLORING to scheduling, 431
  - PARTITION to BIN-PACKING, 430
  - PARTITION to KNAPSACK, 430
  - VERTEX-COVER to DOM-SET, 430
- regret, 168, 173
- regular, 156
- regular expression, 344, 348, 354, 362
  - and complement, 345
  - DFA, 357
  - without intersection and complement, 363
- regular graph, 151, 172
- regular language, 353
  - closed
    - complement, 354
    - concatenation, 355
    - intersection, 354
    - Kleene star, 355
    - union, 354
  - closure properties, 365
  - pumping lemma, 366
- relation
  - binary, 154
  - reflexive, 154
  - transitive, 154
- relatively prime, 132, 141, 204
- RELPRIME, 414
- remainder, 131
- representation theorem
  - distinct powers of 2, 79, 83
  - prime factorization, 77
  - strong induction, 79
- residual graph, 166
- resource allocation
  - and Sperner’s Lemma, 162
  - envy-free, 162
- RESTART, 234
- restricted choice, 226, 241
- return time, 278
- reversal, 349, 364
  - language, 349, 366
- RFBT, *see also* tree, 95, 110
- RFTT, 110
- Rice, 377
- Rice’s Theorem, 401
- Riemann, 122
- Riemann Hypothesis, 146
- right-vertex, 165
- Ringel, 162
- Rivest, 138
- rooted binary tree, *see* tree
- rooted full binary tree, *see* tree
- Rosa, 162
- Roulette, 279
- roulette, 254, 257
  - Monte Carlo, 242
- rounding operation, 86
- RSA, iii, 131, 138–140
  - algorithm, 139
  - mathematics of, 140
- RSA Public Key Cryptography, *see* RSA
- RT, 110
- RTT, 110
- runtime, *see also* growth rate
- runtime function, 116
  - compare, 120
- Russel, Bertrand, 340
- Russell’s Paradox, 340
- Russian roulette, 224
- sample space, 218, 223
- sample space  $\Omega$ , 218
- sampling
  - with vs. without replacement, 307
  - without replacement, 323
- sampling bias, 232
  - we’re growing taller, 236
- satisfiability, 420–423, 428
  - 2-SAT is in P, 429
  - $k$ -SAT, 427
- scheduling, 180, 431
  - NP-complete, 431
  - course exams, 168
- scratch-paper, 351
- search, 251
  - binary, 251
  - sorting approach, 251
- search tree, 94
- self-reference, 87
- self-replicating program, 401
- sequence, 19
- sequences
  - counting
    - summary of formulae, 201
  - with repetition, 199

- set, 17–19
- countable, *see* countable, 329–334
  - difference, 55
  - infinite, 329–341
  - measure zero, 340
  - operations, 18
    - associative, 19
    - commutative, 19
    - complement, 18
    - distributive, 19
    - intersection, 18
    - union, 18
  - proofs, 50
  - recursive, 93
  - subset, 18
  - ugly, 339
- seven bridges of Königsberg, 153
- sex in America, 163
- Shakespeare, 167
- Shamir, 138
- Shank’s transform, 129
- Sherlock Holmes, 227
- SHORTEST-PATH, 411
- sieve of Eratosthenes, 143
- $\sigma$ , *see* standard deviation
- $\sigma^2$ , *see* variance
- Simpson’s paradox, 241
- simulate dice, 242, 306
- simulation, 217
- simulation theorem, 410
- 6-shooter, 224
- size(), 108, 110
- social golfer problem, 13
- social network, 10
  - marketing, 13
- Social Organization of Sexuality, 163, 164
- social twin, 205, 250
- solitaire, 431
  - NP-complete, 431
- solvable, 415
- sorter, 427
- spam, 238
- spanning tree, 160, 170
  - low stretch, 177
    - complete graph, 177
    - minimum weight, 177
- speed dating, 10
- speed-dating, 13
- Spencer, 260
- Sperner’s Lemma, 162
  - Brouwer Fixed Point Theorem, 162
  - envy-free resource allocation, 162
- spiral
  - galaxy, 102
  - golden, 102
  - logarithmic, 102
- spread, 322
- Srinivasan, 260
- St. Petersburg Paradox, 307
- stable marriage, 166, 173
  - all matchings, 173
  - proposer wins, 168
    - proof, 174
  - volatile pair, 167
- stable matching, *see* stable marriage
- standard deviation, 313
  - properties, 322
- Stanley, iv
- star, 149
- state
  - halting  $\overline{\text{NO}}$ -state, , 379
  - halting  $\overline{\text{YES}}$ -state, , 379
  - product, 355
  - subset, 356
- Stirling, 211
- Stirling number, 193
- Stirling’s formula, 122, 123
- Stirzaker, iv
- stochastic matrix, 173
- storm spiral, 102
- stretch, 177
- string, 106
  - binary, 106
  - concatenation, 106
  - pump, 366
  - reversal, 106
- string patterns, 344
- strong induction, 72, *see also* induction
  - bad, 85
    - Fundamental Theorem of Arithmetic, 77
    - games, 79
    - making change, 81
    - representation theorem, 79
    - template, 78
- strong law of large numbers, 319
- strongly connected, 154
- structural induction, 103–115
  - and strong induction, 105
  - checklist, 108
  - on  $\mathbb{N}$ , 105
  - principle, 114
  - proof of, 114
  - template, 104
  - tree coloring, 170
  - tree properties, 107–108
- structure
  - in random network, 159
- subdivision, 162
- subgraph, 159
  - induced, *see* induced subgraph
- subsequence
  - decreasing, 161
  - increasing, 161
- subset relation, 18

- subset-state, 356, 357
- SUBSET-SUM, 417, 427
  - build-up method (dynamic programming), 429
  - reduction to PARTITION, 429
- substitution rule, 367
- Sudoku, 174
- suitor, 167
- sum, 115–131
  - $\Sigma$ , 5, 115
  - and integration, 121
  - arithmetic, 62
  - bounding terms, 127
  - common sums, 116
  - cubes, 63
  - dice, 296
  - divergent, 129
  - empty, 6
  - expected value, 295
  - geometric, 58, 62, 101
    - integration bound, 123
  - infinite
    - Taylor series, 129
  - integer powers, 60, 72, 122
  - integers, 60
  - maximum substring, 115
  - odd numbers, 63
  - privately share, 272
  - reciprocal of squares, 129
  - Riemann, 122
  - rules, 116–119
    - addition rule, 116
    - constant rule, 116
    - nested sum rule, 117–118
  - squares, 63
  - telescoping, 72, 128, 129
  - using derivative, 293
  - variance, 315
- summand, 116, 117, 120
- summation, 115–131
  - and differentiation, 128
  - by parts, 128
  - index, 116
- superpermutation, 197
- surjection, 190, 329, 337
- survey design, 180
- survival curve, 240
- switch or not, 215
- Sisyphus, 12
- tape
  - beacon symbol, \*, 379
  - blank symbol,  $\sqcup$ , 379
  - erase, 396
- tape memory, 379
- Tardos, iv
- telescoping sum, 72, 129
- ternary, 321
- ternary strings
  - finite, 337
- Texas Holdem, 240
- theorem, 21
- $\Theta(\cdot)$ , 119–406
- tiling
  - domino, 14, 85
  - triomino, 74, 83
- time complexity, 405–415
- tinkering, 9, 12, 62
- TM, *see* Turing Machine
- topological sort, 161
- total expectation, 286, 291, 297
  - dice rolls, 287
  - different types of coins, 286
  - waiting time, 287
- total order, 154
- total probability, 233–235, 243
- totient function  $\phi$ , 145
- tournament, 70, 154, 225, 260
  - Hamiltonian path, 175
  - inconsistency, 70
  - no cycle, 161
  - ranking, 70
    - strong induction, 83
  - round-robin, 70
  - top-dog, 155
- Towers of Hanoi, 101
- TQBF, 432
- trace, 352
- transcendental number, 339
- transducer, 361
  - Turing Machine, 383
- transfinite realm, 336
- transportation safety, 236
- transposed conditional, 232
- trash compactor, 101
- traveling salesperson, 413
- Travelling salesman, 178
- tree, 94–95, 110, 151
  - 2-colorable, 170
  - BFS, 160
  - binary, 110
    - full, 110
  - child node, 94
  - child subtree, 94
  - coloring, 170
  - connected acyclic graph, 174
    - general, 151
    - graceful labeling, 162
  - Greedy coloring, 174
  - height(), 108, 110
  - induction, 174
  - Kraft inequality, 111
  - merge, 111
  - ordered, 94
  - properties, 95

- recursive definition, 94, 107
- recursively defined function, 108
- root, 94
- rooted, 110
- rooted binary, 94, 107–108
- rooted full binary, 95
- size(), 108, 110
- spanning, 160
  - minimum weight, 177
- spanning tree
  - minimum, 178
- ternary, 110
  - full, 110
- true quantified boolean formula, 432
- Truman, 232
- truth table, 30–32
- TSP, 405, 413
- Turán, 177
- Turing, 336, 392
  - Alan, 138
  - Turing Award, 106
- Turing Award, 327
- Turing Machine, 375, 379–389
  - \*01\*, 383
  - $\{0^{\bullet n} \# 1^{\bullet n}\}$ , 405
    - using two tapes, 407
  - and circuits, 421, 428
  - copying, 385
  - decider, 386
  - encoding, 386
  - fast, 408
  - finite binary string, 387
  - infinite loop, 385
  - linearly bounded, 403
  - LR vs. LRS, 388
  - machine-level instruction, 380
  - multiplication, 382
  - programmable, 390
  - recognizer, 385
  - reversal, 385
  - simulate two tapes with one, 409
  - sketch, 389–390
  - squaring, 385
  - transducer, 383
  - two tape
    - using one tape, 390
  - universal, 391
    - $\{w\#w\}$ , 382
    - $\{w\#w\}$ , 379
    - $\{ww\}$ , 383
- Turing, A. M., 327
- Twain, iii
- twin
  - FOCS, 248
- twin-prime, 348
- 2-hop neighbor, 180
- Ugly Sam, 243
- ugly set, 339
- Ulam, 159
- Ullman, iv
- ultimate-debugger, 389, 398
  - does not exist, 395
- uncertain, 219
- uncertainty
  - new information, 227
- uncountable, 363
  - continuum, 335
  - infinite binary strings, 334
  - measure zero set, 340
  - real numbers, 334
- Undecidability, 389–405
- undecidable
  - $\mathcal{L}_{\text{ALL-CFG}}$ , 400
  - $\mathcal{L}_{\text{ALL-TM}}$ , 401
  - $\mathcal{L}_{\text{TM-DECIDER}}$ , 403
  - $\mathcal{L}_{\text{EMPTY-TM}}$ , 400
  - $\mathcal{L}_{\text{EQ-CFG}}$ , 400
  - $\mathcal{L}_{\text{EQ-TM}}$ , 401
  - $\mathcal{L}_{\text{FINITE-TM}}$ , 401
  - $\mathcal{L}_{\text{TM-LB}}$ , 403
  - $\mathcal{L}_{\text{TM}}$ , 392–393
  - $\mathcal{L}_{\text{TM-00}}$ , 400
  - $\mathcal{L}_{\text{HALT}}$ , 394
  - PCP, 396
    - program verification, 396
    - proving, 394
    - TM language is regular, 401
- uniform probability space, 217, 220
- uniform random variable, 268
- union
  - countable, 332
- $U_{\text{TM}}$ , 391
- universal set, 17
- universal Turing Machine, 391
- Unix, 344
- unordered pair, 148
- Unsolvability problems, 389–405
- urn, 224, 226
- utility graph, 151
- value(), 106–107
- van Lint, iv
- Vandermonde convolution, 194, 210
- variance, 311–320
  - 3-sigma rule, 317
  - Bernoulli, 314
  - Binomial, 314
  - computing, 313
  - conditional, 325
  - iterated, 325
  - maximize, 324
  - minimize, 322
  - non-negative, 314

- Poisson, 321
  - sum, 315–317
  - uniform, 314
  - waiting time, 314
- Venn diagram, 19, 50, 55, 202
- verifiable, 415
  - polynomially, 416
- verification
  - hello world, 16
- vertex, 110, 147
  - full, 110
  - half-full, 110
  - highest degree, 157
- vertex cover, 170, 175
  - independent set, 176
  - matching, 177
- VERTEX-COVER, 425, 427
- vertices
  - partition, 158
- Vesztergombi, iv
- viral marketing, 176
- virus, 402
- volatile pair, 167
- voltage fluctuations, 324
  
- waiting time, 287, 293
  - $k$  successes and  $\ell$  failures, 277
  - $r$  successes, 276, 293
  - at least 1 boy and 1 girl, 271
  - boy, 270
  - boy and girl, 288
  - coin tosses, 271
  - equal boys and girls, 293
  - expected, 296, 307
  - geometric distribution, 270
  - memoryless, 276
  - packet transmission, 270
  - square, 288, 296
  - to success, 270
  - two boys, 270, 287
- Wald, 232
- water-bullet-roulette, 224
- weak law of large numbers, 319
- weather reports, 138
- web-graph, 149
- webpage, 251
- weighted degree, 158
- weighted graph, 152
  - Handshaking Theorem, 153
- well ordering, 65
- well ordering principle, 22–24
- well-ordering
  - proof by induction, 65, 340
  - proof using induction, 72
- West, iv
- wheel, 149
- WHENEVER, 30
  
- Wierstrauss, 129
- wildcard symbol, 344, 349
  - vs. Kleene star, 348
- Wiles, 55
- Wilson, iv
- witness, 416
- witness reliability, 239
- world-wide-web, 149
- worst case analysis, 406
- Wozniak, Steve, 151
- WWII, 135, 138
- WWII, 232
  
- X3-SAT, 431
- XML, 373
- XOR, 225
  
- $\overline{\text{YES}}$ -set, 343–352
- $\overline{\text{YES}}$ -state, 351
- younger-twin-prime, 348
  
- $z$ -score, 319
  - mean and variance, 321
- Zeit, iv
- Zermelo–Fraenkel, 340
- Zermelo–Fraenkel with Choice (ZFC), 17
- zero knowledge proof, 432